RECEIVED APRIL 9, 2007

Analytical Data Package Prepared For

Pacific Northwest National Lab

Radiochemical Analysis By

STL Richland STLRL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 34821

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05121	W07-002	B1M870	J7B120175-1	JPAPP1AA	9JPAPP10	7050420
		B1M870	J7B120175-1	JPAPP1AC	9JPAPP10	7050408
		B1M870	J7B120175-1	JPAPP1AD	9JPAPP10	7050402
		B1M902	J7B120175-2	JPAPR1AA	9JPAPR10	7050417
		B1M902	J7B120175-2	JPAPR1AC	9JPAPR10	7050408
		B1M907	J7B120175-3	JPAP21AA	9JPAP210	7050417
		B1M907	J7B120175-3	JPAP21AC	9JPAP210	7050408
		B1M906	J7B120175-4	JPAP51AA	9JPAP510	7050417
		B1M906	J7B120175-4	JPAP51AC	9JPAP510	7050408
		B1M951	J7B130255-1	JPDCV1AA	9JPDCV10	7050417
		B1M951	J7B130255-1	JPDCV1AC	9JPDCV10	7050408
	S07-002	B1M7F9	J7B130298-1	JPDMR1AA	9JPDMR10	7050424
		B1M7F9	J7B130298-1	JPDMR1AC	9JPDMR10	7050422
		B1M7F9	J7B130298-1	JPDMR1AD	9JPDMR10	7050426
		B1M7H2	J7B130298-2	JPDMT1AA	9JPDMT10	7050424

Comments:

Report Nbr: 34821

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05121	S07-002	B1M7H7	J7B130298-3	JPDMW1AA	9JPDMW10	7050417
		B1M7H7	J7B130298-3	JPDMW1AC	9JPDMW10	7050420
		B1M7H7	J7B130298-3	JPDMW1AD	9JPDMW10	7050424
		B1M7H7	J7B130298-3	JPDMW1AE	9JPDMW10	7050408
		B1M7H7	J7B130298-3	JPDMW1AF	9JPDMW10	7050402
		B1M7H8	J7B130298-4	JPDM31AA	9JPDM310	7050417
		B1M7H8	J7B130298-4	JPDM31AC	9JPDM310	7050420
		B1M7H8	J7B130298-4	JPDM31AD	9JPDM310	7050424
		B1M7H8	J7B130298-4	JPDM31AE	9JPDM310	7050408
		B1M7H8	J7B130298-4	JPDM31AF	9JPDM310	7050402
	W07-002	B1M9B1	J7B150271-1	JPHEX1AA	9JPHEX10	7050428
		B1M9B1	J7B150271-1	JPHEX1AC	9JPHEX10	7050430
		B1M9B1	J7B150271-1	JPHEX1AD	9JPHEX10	7050420
		B1M9B1	J7B150271-1	JPHEX1AE	9JPHEX10	7050408
		B1M9C1	J7B150271-2	JPHFA1AA	9JPHFA10	7050428
		B1M9C1	J7B150271-2	JPHFA1AC	9JPHFA10	7050430
		B1M9C1	J7B150271-2	JPHFA1AD	9JPHFA10	7050420
		B1M9C1	J7B150271-2	JPHFA1AE	9JPHFA10	7050408
		B1M9C6	J7B150271-3	JPHFH1AA	9JPHFH10	7050428
		B1M9C6	J7B150271-3	JPHFH1AC	9JPHFH10	7050430
		B1M9C6	J7B150271-3	JPHFH1AD	9JPHFH10	7050420
		B1M9C6	J7B150271-3	JPHFH1AE	9JPHFH10	7050408
		B1M9D6	J7B150271-4	JPHFJ1AA	9JPHFJ10	7050428
		B1M9D6	J7B150271-4	JPHFJ1AC	9JPHFJ10	7050430
		B1M9D6	J7B150271-4	JPHFJ1AD	9JPHFJ10	7050420
		B1M9D6	J7B150271-4	JPHFJ1AE	9JPHFJ10	7050408

Comments:

Report Nbr: 34821

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05121	S07-012	B1LD97	J7B150278-1	JPHGJ1AA	9JPHGJ10	7050417
		B1LD97	J7B150278-1	JPHGJ1AC	9JPHGJ10	7050428
		B1LD97	J7B150278-1	JPHGJ1AE	9JPHGJ10	7050408
		B1LD97	J7B150278-1	JPHGJ1AF	9JPHGJ10	7050402
		B1LD97	J7B150278-1	JPHGJ2AD	9JPHGJ20	7050430
	G07-002	B1M5Y2	J7B150285-1	JPHHE1AA	9JPHHE10	7050430
		B1M5X8	J7B150285-2	JPHHH1AA	9JPHHH10	7050430
		B1M5X9	J7B150285-3	JPHHN1AA	9JPHHN10	7050430
	W07-002	B1M854	J7B180101-1	JPMDG1AA	9JPMDG10	7050420
		B1M854	J7B180101-1	JPMDG1AC	9JPMDG10	7050405
		B1M8L2	J7B180101-2	JPMDH1AA	9JPMDH10	7050417
		B1M8L2	J7B180101-2	JPMDH1AC	9JPMDH10	7050405
		B1M8L2	J7B180101-2	JPMDH1AD	9JPMDH10	7050402
		B1M8J2	J7B180101-3	JPMDJ1AA	9JPMDJ10	7050417
		B1M8J2	J7B180101-3	JPMDJ1AC	9JPMDJ10	7050405
		B1M8J2	J7B180101-3	JPMDJ1AD	9JPMDJ10	7050402

Comments:

SEVERN TRENT STL

STL Richland
2800 George Washington Way
Richland, WA 99354

Tel: 509 375 3131 Fax: 509 375 5590
www.stl-inc.com

Certificate of Analysis

Pacific Northwest National Laboratories
Sigma V Building
Richland, WA 99352

March 29, 2007

Attention: Dot Stewart

SAF Number	:	S07-012, G07-002, W07-002, S07-002
Date SDG Closed	:	February 15, 2007
Number of Samples	:	Twenty (20)
Sample Type	:	Water
SDG Number	:	W05121
Data Deliverable	:	45-Day / Summary

CASE NARRATIVE

I. Introduction

Between February 9, 2007 and February 15, 2007, twenty water samples were received at STL Richland (STLR) for radiochemical analysis. Upon receipt, the samples were assigned the following laboratory ID numbers to correspond with the Pacific Northwest National Laboratories (PGW) specific IDs:

PGW ID#	STLR ID#	MATRIX	DATE OF RECEIPT
B1M870	JPAPP	WATER	2/9/07
B1M902	JPAPR	WATER	2/9/07
B1M907	JPAP2	WATER	2/9/07
B1M906	JPAP5	WATER	2/9/07
B1M8L2	JPDCV	WATER	2/12/07
B1M7F9	JPDMR	WATER	2/12/07
B1M7H2	JPDMT	WATER	2/12/07
B1M7H7	JPDMW	WATER	2/12/07
B1M7H8	JPDM3	WATER	2/12/07
B1M9B1	JPHEX	WATER	2/13/07
B1MPC1	JPHFA	WATER	2/13/07
B1M9C6	JPHFH	WATER	2/13/07
B1M9D6	JPHFJ	WATER	2/13/07

B1LD97	JPHGJ	WATER	2/14/07
B1M5Y2	JPHHE	WATER	2/14/07
B1M5X8	JPHHH	WATER	2/14/07
B1M5X9	JPHHN	WATER	2/14/07
B1M854	JPMDG	WATER	2/15/07
B1M8L2	JPMDH	WATER	2/15/07
B1M8J2	JPMDJ	WATER	2/15/07

II. Sample Receipt

The samples were received in good condition and no anomalies were noted during check-in.

III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested analyses were:

Alpha Spectroscopy
Plutonium-238, -239/240 by method RICH-RC-5010
Gas Proportional Counting
Gross Alpha by method RICH-RC-5014
Gross Beta by method RICH-RC-5014
Strontium-90 by method RICH-RC-5006
Gamma Spectroscopy
Gamma Spec (LL) by method RICH-RC-5017
Iodine-129 (LL) by method RICH-RC-5025
Liquid Scintillation Counting
Technetium-99 by TEVA method RICH-RC-5065
Tritium by method RICH-RC-5007
Laser Induced Phosphorimetry
Total Uranium by method RICH-RC-5058

IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V. Comments

Alpha Spectroscopy

Plutonium-238, -239/240 by method RICH-RC-5010

The LCS, batch blank, samples and sample duplicate (B1M7F9) results are within contractual requirements.

Gas Proportional Counting

Gross Alpha by method RICH-RC-5014:

The LCS, batch blank, samples and sample duplicate (B1M9B1) results are within contractual requirements.

Gross Beta by method RICH-RC-5014:

On the first analysis the duplicates were out. They were recounted with good results. The blank is above ½ the CRDL at 2.42. All samples except B1M5X9 have results that exceed the CRDL. Data is accepted. Except as noted, the LCS, batch blank, samples and sample duplicate (B1LD97) results are within contractual requirements.

Strontium-90 by method RICH-RC-5006

The LCS, batch blank, samples and sample duplicate (B1M7F9) results are within contractual requirements.

Gamma Spectroscopy

Gamma Spec (LL) by method RICH-RC-5017:

The LCS, batch blank, samples and sample duplicate (B1M7H8) results are within contractual requirements.

Iodine-129 (LL) by method RICH-RC-5025:

The LCS, batch blank, samples and sample duplicate (B1M7F9) results are within contractual requirements.

Liquid Scintillation Counting

Technetium-99 by TEVA method RICH-RC-5065:

The LCS, batch blank, samples, sample duplicate (B1M870), and sample matrix spike (B1M902) results are within contractual requirements.

Technetium-99 by method RICH-RC-5078:

The LCS, batch blank, samples, sample duplicate (B1M854), and sample matrix spike (B1M8L2) results are within contractual requirements.

Tritium by method RICH-RC-5007:

The LCS, batch blank, samples and sample duplicate (B1M8L2) results are within contractual requirements.

Pacific Northwest National Laboratories
March 29, 2007

Total Uranium

Total Uranium by method RICH-RC-5058:

The LCS, batch blank, samples, sample duplicate (B1M870), and sample matrix spike (B1M7H7) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sherryl A. Adam
Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**STL Richland's SOP number**
EPA 901.1	Cs-134, I-131	RICH-RC-5017
EPA 900.0	Alpha & Beta	RICH-RC-5014
EPA 903.1	Ra-226	RICH-RC-5005
EPA 904.0	Ra-228	RICH-RC-5005
EPA 905.0	Sr89/90	RICH-RC-5006
ASTM D2460	Total Radium	RICH-RC-5027
Standard Method 7500-U-C & ASTM D5174	Uranium	RICH-RC-5058
EPA 906.0	Tritium	RICH-RC-5007
NOTE:		
The Gross Alpha LCS is prepared with Am-241 (unless otherwise specified in the case narrative)		
The Gross Beta LCS is prepared with Sr/Y-90 (unless otherwise specified in the case narrative)		

Uncertainty Estimation

STL Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/vn), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or STL Richland.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) *u_c - Combined Uncertainty.*	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, *u_c the combined uncertainty.* The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or STL Richland "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt($TPUs^2$ + $TPUd^2$)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by STL Richland upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

3/29/2007 1:24:11 PM

STL Richland Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPAP210	B1M907		MW6-SBB-A1	W07-002	W05121					02/09/2007 10:14

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	7.04E+03	pCi/L	2.9E+02	4.2E+02		2.98E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 06:15	I
7050408	TC-99	14133-76-7	2.64E+02	pCi/L	9.9E+00	2.1E+01		1.04E+01	100.0	TC99_ETVDSK_LS	1.257E-01	L	03/03/2007 02:19	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPAP510	B1M906		MW6-SBB-A1	W07-002	W05121					02/09/2007 10:14

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	7.06E+03	pCi/L	2.9E+02	4.2E+02		2.97E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 07:37	I
7050408	TC-99	14133-76-7	2.57E+02	pCi/L	9.8E+00	2.1E+01		1.04E+01	100.0	TC99_ETVDSK_LS	1.251E-01	L	03/03/2007 03:22	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPAPP10	B1M870		MW6-SBB-A1	W07-002	W05121					02/09/2007 08:27

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050420	BE-7	13966-02-4	5.46E+00	pCi/L	2.6E+01	2.6E+01	U	4.94E+01		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	CO-60	10198-40-0	2.91E+01	pCi/L	8.4E+00	8.4E+00		4.68E+00		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	CS-134	13967-70-9	-3.62E+00	pCi/L	3.1E+00	3.1E+00	U	4.68E+00		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	CS-137	10045-97-3	-2.43E+00	pCi/L	2.6E+00	2.6E+00	U	4.18E+00		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	EU-152	14683-23-9	2.51E+00	pCi/L	5.8E+00	5.8E+00	U	1.09E+01		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	EU-154	15585-10-1	8.06E-01	pCi/L	7.3E+00	7.3E+00	U	1.43E+01		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	EU-155	14391-16-3	-5.41E-01	pCi/L	5.7E+00	5.7E+00	U	9.97E+00		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	K-40	13966-00-2	-4.83E+01	pCi/L	5.4E+01	5.4E+01	U	1.18E+02		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	RU-106	13967-48-1	-1.16E+01	pCi/L	2.2E+01	2.2E+01	U	3.87E+01		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050420	SB-125	14234-35-6	1.44E+00	pCi/L	6.0E+00	6.0E+00	U	1.12E+01		GAMMALL_GS	2.0026E+00	L	03/15/2007 11:48	I
7050408	TC-99	14133-76-7	1.09E+04	pCi/L	5.7E+01	6.5E+02		1.02E+01	100.0	TC99_ETVDSK_LS	1.254E-01	L	03/02/2007 22:09	I
7050402	Uranium	7440-61-1	2.52E+02	ug/L	3.1E+01	3.1E+01		7.73E-02		UTOT_KPA	2.71E-02	ML	03/20/2007 15:27	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPAPR10	B1M902		MW6-SBB-A1	W07-002	W05121					02/09/2007 11:51

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	6.80E+03	pCi/L	2.9E+02	4.1E+02		2.98E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 04:53	I
7050408	TC-99	14133-76-7	9.06E+02	pCi/L	1.7E+01	5.9E+01		1.07E+01	100.0	TC99_ETVDSK_LS	1.25E-01	L	03/03/2007 00:14	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

3/29/2007 1:24:11 PM

STL Richland Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPDCV10	B1M951		MW6-SBB-A1	W07-002	W05121					02/12/2007 12:39

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.01E+03	pCi/L	1.6E+02	1.8E+02		2.99E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 08:59	I
7050408	TC-99	14133-76-7	2.34E+02	pCi/L	9.4E+00	2.0E+01		1.03E+01	100.0	TC99_ETVDSK_LS	1.251E-01	L	03/03/2007 04:24	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPDM310	B1M7H8		MW6-SBB-A1	S07-002	W05121					02/12/2007 11:36

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.35E+04	pCi/L	3.9E+02	6.6E+02		2.98E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 13:03	I
7050420	BE-7	13966-02-4	2.08E-01	pCi/L	2.7E+01	2.7E+01	U	5.01E+01		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	CO-60	10198-40-0	6.11E+01	pCi/L	1.5E+01	1.5E+01		2.56E+00		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	CS-134	13967-70-9	-1.63E-01	pCi/L	3.0E+00	3.0E+00	U	5.48E+00		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	CS-137	10045-97-3	4.19E+00	pCi/L	3.7E+00	3.7E+00	U	7.11E+00		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	EU-152	14683-23-9	3.07E+00	pCi/L	6.2E+00	6.2E+00	U	1.15E+01		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	EU-154	15585-10-1	-1.34E+00	pCi/L	6.4E+00	6.4E+00	U	1.21E+01		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	EU-155	14391-16-3	2.03E+00	pCi/L	4.7E+00	4.7E+00	U	8.50E+00		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	K-40	13966-00-2	-2.40E+01	pCi/L	5.0E+01	5.0E+01	U	1.07E+02		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	RU-106	13967-48-1	-7.04E+00	pCi/L	2.3E+01	2.3E+01	U	4.10E+01		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050420	SB-125	14234-35-6	2.92E+00	pCi/L	7.0E+00	7.0E+00	U	1.29E+01		GAMMALL_GS	1.9597E+00	L	03/15/2007 11:49	I
7050424	I-129L	15046-84-1	2.67E+00	pCi/L	5.6E-01	5.6E-01		3.16E-01	97.0	I129LL_SEP_LEPS	3.9325E+00	L	03/13/2007 15:44	I
7050408	TC-99	14133-76-7	2.29E+04	pCi/L	8.3E+01	1.4E+03		1.01E+01	100.0	TC99_ETVDSK_LS	1.251E-01	L	03/03/2007 06:29	I
7050402	Uranium	7440-61-1	8.68E+00	ug/L	1.1E+00	1.1E+00		8.42E-02		UTOT_KPA	2.49E-02	ML	03/20/2007 15:44	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPDMR10	B1M7F9		MW6-SBB-A1	S07-002	W05121					02/12/2007 12:37

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050424	I-129L	15046-84-1	4.24E+00	pCi/L	6.7E-01	6.7E-01		3.21E-01	94.1	I129LL_SEP_LEPS	3.9656E+00	L	03/13/2007 13:57	I
7050422	PU-238	13981-16-3	2.97E-02	pCi/L	7.6E-02	7.6E-02	U	1.78E-01	91.5	PUISO_PLATE_AE	2.006E-01	L	03/06/2007 19:04	I
7050422	PU-239	PU-239/240	-7.44E-03	pCi/L	7.6E-02	7.6E-02	U	1.78E-01	91.5	PUISO_PLATE_AE	2.006E-01	L	03/06/2007 19:04	I
7050426	SR-90	10098-97-2	5.49E-01	pCi/L	4.3E-01	4.4E-01	U	8.52E-01	52.1	SRISO_SEP_PRE	9.035E-01	L	03/11/2007 09:19	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

STL Richland Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

9JPDMT10 B1M7H2 MW6-SBB-A1 S07-002 W05121 02/12/2007 10:36

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050424	I-129L	15046-84-1	3.82E-01	pCi/L	2.8E-01	2.8E-01	U	3.78E-01	94.6	I129LL_SEP_LEPS	3.9326E+00	L	03/13/2007 13:57	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPDMW10	B1M7H7		MW6-SBB-A1	S07-002	W05121					02/12/2007 11:36

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.44E+04	pCi/L	4.0E+02	7.0E+02		3.00E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 11:42	I
7050420	BE-7	13966-02-4	-4.49E+00	pCi/L	2.7E+01	2.7E+01	U	4.76E+01		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	CO-60	10198-40-0	6.14E+01	pCi/L	1.2E+01	1.2E+01		4.38E+00		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	CS-134	13967-70-9	-1.38E+00	pCi/L	3.4E+00	3.4E+00	U	5.82E+00		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	CS-137	10045-97-3	3.03E+00	pCi/L	2.8E+00	2.8E+00	U	5.70E+00		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	EU-152	14683-23-9	2.56E+00	pCi/L	6.1E+00	6.1E+00	U	1.14E+01		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	EU-154	15585-10-1	5.17E+00	pCi/L	6.2E+00	6.2E+00	U	1.43E+01		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	EU-155	14391-16-3	-1.30E+00	pCi/L	4.7E+00	4.7E+00	U	8.09E+00		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	K-40	13966-00-2	1.87E+01	pCi/L	4.8E+01	4.8E+01	U	1.08E+02		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	RU-106	13967-48-1	-5.22E+00	pCi/L	2.5E+01	2.5E+01	U	4.52E+01		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050420	SB-125	14234-35-6	4.76E-01	pCi/L	5.3E+00	5.3E+00	U	9.86E+00		GAMMALL_GS	1.9999E+00	L	03/15/2007 11:48	I
7050424	I-129L	15046-84-1	3.23E+00	pCi/L	5.9E-01	5.9E-01		3.09E-01	94.9	I129LL_SEP_LEPS	3.9613E+00	L	03/13/2007 15:43	I
7050408	TC-99	14133-76-7	2.30E+04	pCi/L	8.3E+01	1.4E+03		1.02E+01	100.0	TC99_ETVDSK_LS	1.249E-01	L	03/03/2007 05:27	I
7050402	Uranium	7440-61-1	9.01E+00	ug/L	1.1E+00	1.1E+00		8.32E-02		UTOT_KPA	2.52E-02	ML	03/20/2007 15:34	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPHEX10	B1M9B1		MW6-SBB-A1	W07-002	W05121					02/13/2007 08:59

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050428	ALPHA	12587-46-1	1.24E+00	pCi/L	1.2E+00	1.2E+00	U	1.98E+00	100.0	9310_ALPHABETA	1.788E-01	L	03/23/2007 16:57	I
7050430	BETA	12587-47-2	9.09E+01	pCi/L	4.6E+00	1.2E+01		2.80E+00	100.0	9310_ALPHABETA	1.99E-01	L	03/23/2007 17:23	I
7050420	BE-7	13966-02-4	9.61E-01	pCi/L	1.9E+01	1.9E+01	U	3.65E+01		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I
7050420	CO-60	10198-40-0	-3.32E-01	pCi/L	2.0E+00	2.0E+00	U	3.80E+00		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I
7050420	CS-134	13967-70-9	5.18E-01	pCi/L	2.0E+00	2.0E+00	U	4.03E+00		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I
7050420	CS-137	10045-97-3	2.15E-02	pCi/L	1.8E+00	1.8E+00	U	3.48E+00		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I
7050420	EU-152	14683-23-9	4.93E+00	pCi/L	5.1E+00	5.1E+00	U	1.00E+01		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I
7050420	EU-154	15585-10-1	5.21E+00	pCi/L	5.3E+00	5.3E+00	U	1.29E+01		GAMMALL_GS	1.9994E+00	L	03/15/2007 11:49	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

STL Richland Report

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

7050420	EU-155	14391-16-3	-3.40E+00	pCi/L	3.6E+00	3.6E+00	U	5.84E+00		GAMMALL_GS	1.9994E+00	L	03/15/2007	11:49 I
7050420	K-40	13966-00-2	-9.08E+00	pCi/L	3.0E+01	3.0E+01	U	6.18E+01		GAMMALL_GS	1.9994E+00	L	03/15/2007	11:49 I
7050420	RU-106	13967-48-1	6.38E+00	pCi/L	1.9E+01	1.9E+01	U	3.66E+01		GAMMALL_GS	1.9994E+00	L	03/15/2007	11:49 I
7050420	SB-125	14234-35-6	-7.82E-01	pCi/L	4.9E+00	4.9E+00	U	8.93E+00		GAMMALL_GS	1.9994E+00	L	03/15/2007	11:49 I
7050408	TC-99	14133-76-7	3.49E+02	pCi/L	1.1E+01	2.6E+01		1.04E+01	100.0	TC99_ETVDSK_LS	1.252E-01	L	03/03/2007	07:32 I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPHFA10	B1M9C1		MW6-SBB-A1	W07-002	W05121					02/13/2007 11:13

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050428	ALPHA	12587-46-1	2.25E-01	pCi/L	5.1E-01	5.2E-01	U	1.20E+00	100.0	9310_ALPHABETA	2.025E-01	L	03/23/2007 16:57	I
7050430	BETA	12587-47-2	2.80E+02	pCi/L	7.8E+00	3.6E+01		2.83E+00	100.0	9310_ALPHABETA	2.007E-01	L	03/23/2007 17:23	I
7050420	BE-7	13966-02-4	1.73E+01	pCi/L	1.7E+01	1.7E+01	U	3.45E+01		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	CO-60	10198-40-0	9.23E-02	pCi/L	1.6E+00	1.6E+00	U	3.21E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	CS-134	13967-70-9	4.27E-02	pCi/L	1.9E+00	1.9E+00	U	3.56E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	CS-137	10045-97-3	-3.91E-01	pCi/L	1.6E+00	1.6E+00	U	2.90E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	EU-152	14683-23-9	7.80E-01	pCi/L	4.3E+00	4.3E+00	U	7.77E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	EU-154	15585-10-1	1.29E+00	pCi/L	4.3E+00	4.3E+00	U	8.92E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	EU-155	14391-16-3	2.40E-01	pCi/L	3.5E+00	3.5E+00	U	6.41E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	K-40	13966-00-2	-1.59E+00	pCi/L	2.6E+01	2.6E+01	U	5.44E+01		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	RU-106	13967-48-1	-9.39E+00	pCi/L	1.4E+01	1.4E+01	U	2.42E+01		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050420	SB-125	14234-35-6	-2.52E+00	pCi/L	3.9E+00	3.9E+00	U	6.51E+00		GAMMALL_GS	2.0043E+00	L	03/15/2007 11:50	I
7050408	TC-99	14133-76-7	1.01E+03	pCi/L	1.8E+01	6.5E+01		1.04E+01	100.0	TC99_ETVDSK_LS	1.26E-01	L	03/03/2007 08:34	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPHFH10	B1M9C6		MW6-SBB-A1	W07-002	W05121					02/13/2007 10:09

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050428	ALPHA	12587-46-1	1.89E-01	pCi/L	8.5E-01	8.5E-01	U	2.27E+00	100.0	9310_ALPHABETA	1.796E-01	L	03/23/2007 16:57	I
7050430	BETA	12587-47-2	5.68E+01	pCi/L	4.0E+00	8.3E+00		3.09E+00	100.0	9310_ALPHABETA	1.742E-01	L	03/23/2007 17:23	I
7050420	BE-7	13966-02-4	-4.26E-01	pCi/L	1.6E+01	1.6E+01	U	2.91E+01		GAMMALL_GS	2.0006E+00	L	03/15/2007 11:50	I
7050420	CO-60	10198-40-0	-7.65E-01	pCi/L	1.5E+00	1.5E+00	U	2.60E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007 11:50	I
7050420	CS-134	13967-70-9	-8.71E-01	pCi/L	1.6E+00	1.6E+00	U	2.81E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007 11:50	I
7050420	CS-137	10045-97-3	-2.16E-01	pCi/L	1.8E+00	1.8E+00	U	3.14E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007 11:50	I
7050420	EU-152	14683-23-9	-8.68E-01	pCi/L	3.5E+00	3.5E+00	U	6.22E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007 11:50	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

STL Richland Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

7050420	EU-154	15585-10-1	-1.82E+00	pCi/L	4.4E+00	4.4E+00	U	8.01E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007	11:50 I
7050420	EU-155	14391-16-3	3.31E-01	pCi/L	3.0E+00	3.0E+00	U	5.59E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007	11:50 I
7050420	K-40	13966-00-2	7.03E+01	pCi/L	3.2E+01	3.2E+01	U	6.82E+01		GAMMALL_GS	2.0006E+00	L	03/15/2007	11:50 I
7050420	RU-106	13967-48-1	-2.57E+00	pCi/L	1.5E+01	1.5E+01	U	2.72E+01		GAMMALL_GS	2.0006E+00	L	03/15/2007	11:50 I
7050420	SB-125	14234-35-6	-2.89E+00	pCi/L	3.6E+00	3.6E+00	U	5.83E+00		GAMMALL_GS	2.0006E+00	L	03/15/2007	11:50 I
7050408	TC-99	14133-76-7	2.16E+02	pCi/L	9.2E+00	1.8E+01		1.04E+01	100.0	TC99_ETVDSK_LS	1.268E-01	L	03/03/2007	10:39 I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPHFJ10	B1M9D6		MW6-SBB-A1	W07-002	W05121					02/13/2007 11:54

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050428	ALPHA	12587-46-1	6.93E-01	pCi/L	7.1E-01	7.3E-01	U	9.94E-01	100.0	9310_ALPHABETA	2.004E-01	L	03/23/2007 16:57	I
7050430	BETA	12587-47-2	3.45E+02	pCi/L	8.6E+00	6.5E+01		2.79E+00	100.0	9310_ALPHABETA	1.997E-01	L	03/23/2007 17:27	I
7050420	BE-7	13966-02-4	4.90E+00	pCi/L	2.1E+01	2.1E+01	U	3.82E+01		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	CO-60	10198-40-0	-1.45E-01	pCi/L	2.3E+00	2.3E+00	U	4.30E+00		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	CS-134	13967-70-9	1.09E+00	pCi/L	2.4E+00	2.4E+00	U	4.57E+00		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	CS-137	10045-97-3	-1.08E-02	pCi/L	2.0E+00	2.0E+00	U	3.68E+00		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	EU-152	14683-23-9	3.57E+00	pCi/L	6.1E+00	6.1E+00	U	1.09E+01		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	EU-154	15585-10-1	1.47E+00	pCi/L	6.2E+00	6.2E+00	U	1.23E+01		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	EU-155	14391-16-3	-1.54E+00	pCi/L	5.4E+00	5.4E+00	U	9.53E+00		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	K-40	13966-00-2	-3.17E+01	pCi/L	6.3E+01	6.3E+01	U	1.40E+02		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	RU-106	13967-48-1	-6.23E+00	pCi/L	1.9E+01	1.9E+01	U	3.23E+01		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050420	SB-125	14234-35-6	2.54E-01	pCi/L	5.3E+00	5.3E+00	U	9.51E+00		GAMMALL_GS	2.00E+00	L	03/15/2007 11:50	I
7050408	TC-99	14133-76-7	1.43E+03	pCi/L	2.1E+01	9.0E+01		1.03E+01	100.0	TC99_ETVDSK_LS	1.256E-01	L	03/03/2007 11:41	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPHGJ10	B1LD97		MW6-SBB-A1	S07-012	W05121					02/14/2007 10:50

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.48E+03	pCi/L	1.7E+02	2.0E+02		2.97E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 14:25	I
7050428	ALPHA	12587-46-1	1.90E+00	pCi/L	1.3E+00	1.3E+00		1.70E+00	100.0	9310_ALPHABETA	2.004E-01	L	03/23/2007 18:51	I
7050408	TC-99	14133-76-7	4.62E+00	pCi/L	4.4E+00	5.9E+00	U	1.01E+01	100.0	TC99_ETVDSK_LS	1.255E-01	L	03/03/2007 12:44	I
7050402	Uranium	7440-61-1	6.08E+00	ug/L	6.2E-01	6.2E-01		8.38E-02		UTOT_KPA	2.50E-02	ML	03/20/2007 15:46	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

STL Richland Report

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

9JPHGJ20 B1LD97 MW6-SBB-A1 S07-012 W05121 02/14/2007 10:50

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050430	BETA	12587-47-2	8.34E+00	pCi/L	1.9E+00	2.2E+00		3.09E+00	100.0	9310_ALPHABETA	2.002E-01	L	03/27/2007 11:46	I

Lab Sample Id: 9JPHHE10 | Client Id: B1M5Y2 | Test User | Contract Nbr: MW6-SBB-A1 | SAF Nbr: G07-002 | Sdg Nbr: W05121 | QC Type: | Moisture/ Solids%*: | Distilled Volume | Sample On Date: | Collection Date: 02/14/2007 09:44

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050430	BETA	12587-47-2	1.46E+01	pCi/L	2.2E+00	3.5E+00		2.93E+00	100.0	9310_ALPHABETA	1.975E-01	L	03/23/2007 17:27	I

Lab Sample Id: 9JPHHH10 | Client Id: B1M5X8 | Test User | Contract Nbr: MW6-SBB-A1 | SAF Nbr: G07-002 | Sdg Nbr: W05121 | QC Type: | Moisture/ Solids%*: | Distilled Volume | Sample On Date: | Collection Date: 02/14/2007 08:50

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050430	BETA	12587-47-2	2.19E+03	pCi/L	2.3E+01	4.3E+02		3.08E+00	100.0	9310_ALPHABETA	1.619E-01	L	03/23/2007 17:27	I

Lab Sample Id: 9JPHHN10 | Client Id: B1M5X9 | Test User | Contract Nbr: MW6-SBB-A1 | SAF Nbr: G07-002 | Sdg Nbr: W05121 | QC Type: | Moisture/ Solids%*: | Distilled Volume | Sample On Date: | Collection Date: 02/14/2007 07:30

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050430	BETA	12587-47-2	1.06E+00	pCi/L	1.3E+00	1.3E+00	U	2.67E+00	100.0	9310_ALPHABETA	2.029E-01	L	03/23/2007 17:27	I

Lab Sample Id: 9JPMDG10 | Client Id: B1M854 | Test User | Contract Nbr: MW6-SBB-A1 | SAF Nbr: W07-002 | Sdg Nbr: W05121 | QC Type: | Moisture/ Solids%*: | Distilled Volume | Sample On Date: | Collection Date: 02/15/2007 10:31

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050420	BE-7	13966-02-4	-9.92E+00	pCi/L	2.4E+01	2.4E+01	U	4.10E+01		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	CO-60	10198-40-0	2.52E+01	pCi/L	6.7E+00	6.7E+00		3.41E+00		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	CS-134	13967-70-9	1.64E+00	pCi/L	2.9E+00	2.9E+00	U	5.72E+00		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	CS-137	10045-97-3	1.78E+00	pCi/L	2.3E+00	2.3E+00	U	4.78E+00		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	EU-152	14683-23-9	-2.11E+00	pCi/L	5.8E+00	5.8E+00	U	1.01E+01		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	EU-154	15585-10-1	3.93E+00	pCi/L	7.2E+00	7.2E+00	U	1.53E+01		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	EU-155	14391-16-3	-9.77E-02	pCi/L	5.6E+00	5.6E+00	U	9.99E+00		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	K-40	13966-00-2	-3.52E+01	pCi/L	5.5E+01	5.5E+01	U	1.22E+02		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	RU-106	13967-48-1	3.26E+00	pCi/L	1.9E+01	1.9E+01	U	3.59E+01		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050420	SB-125	14234-35-6	6.49E-01	pCi/L	5.4E+00	5.4E+00	U	1.01E+01		GAMMALL_GS	2.0059E+00	L	03/15/2007 13:37	I
7050405	TC-99	14133-76-7	9.16E+03	pCi/L	5.3E+01	5.5E+02		1.05E+01	100.0	TC99_SEP_LSC	1.248E-01	L	03/07/2007 16:03	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

3/29/2007 1:24:12 PM

STL Richland Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 34821 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPMDH10	B1M8L2		MW6-SBB-A1	W07-002	W05121					02/15/2007 12:05

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.22E+04	pCi/L	3.7E+02	6.1E+02		2.98E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 19:52	I
7050405	TC-99	14133-76-7	7.98E+02	pCi/L	1.6E+01	5.3E+01		1.03E+01	100.0	TC99_SEP_LSC	1.258E-01	L	03/07/2007 18:08	I
7050402	Uranium	7440-61-1	6.14E+00	ug/L	6.3E-01	6.3E-01		8.09E-02		UTOT_KPA	2.59E-02	ML	03/20/2007 15:48	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9JPMDJ10	B1M8J2		MW6-SBB-A1	W07-002	W05121					02/15/2007 11:26

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7050417	H-3	10028-17-8	1.37E+04	pCi/L	3.9E+02	6.7E+02		2.98E+02	100.0	906.0_H3_LSC	5.00E-03	L	03/13/2007 21:14	I
7050405	TC-99	14133-76-7	1.27E+02	pCi/L	7.4E+00	1.3E+01		1.02E+01	100.0	TC99_SEP_LSC	1.272E-01	L	03/07/2007 20:14	I
7050402	Uranium	7440-61-1	6.20E+00	ug/L	6.3E-01	6.3E-01		8.32E-02		UTOT_KPA	2.52E-02	ML	03/20/2007 15:50	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH01AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BI	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050402	Uranium	4.68E-02	ug/L	5.9E-03	U	8.32E-02			UTOT_KPA	2.52E-02	03/20/2007				D
BLK	7440-61-1			5.9E-03						ML	15:15				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH21AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/15/2007 10:31
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/15/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BL	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050405	TC-99	3.39E+00	pCi/L	6.2E+00	U	1.02E+01	100.0		TC99_SEP_LS	1.273E-01	03/07/2007				D
BLK	14133-76-7			4.3E+00						L	21:16				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNH31AB
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BLK

Collection Date: 02/09/2007 08:27
Sample On Date:
Received Date: 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BN	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050408	TC-99	2.92E+00	pCi/L	5.9E+00	U	1.02E+01	100.0		TC99_ETVDSK	1.254E-01	03/03/2007				D
BLK	14133-76-7			4.3E+00						L	13:46				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH51AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:39
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BP	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050417	H-3	-4.14E+01	pCi/L	1.3E+02	U	2.99E+02	100.0		906.0_H3_LSC	5.00E-03	03/13/2007				D
BLK	10028-17-8			1.2E+02						L	02:10				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH51DX	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:39
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BR	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050417	H-3	-5.63E+01	pCi/L	1.3E+02	U	3.03E+02	100.0		906.0_H3_LSC	5.00E-03	03/13/2007				D
BLK	10028-17-8			1.2E+02						L	17:08				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNJF1AB
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BLK

Collection Date: 02/12/2007 11:36
Sample On Date:
Received Date: 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix BT	RTyp H
	MW6-SBB-A19981									

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qual	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050420	BE-7	1.10E+01	pCi/L	2.5E+01	U	4.77E+01			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	13966-02-4			2.5E+01						L	13:38				
7050420	CO-60	-4.71E-01	pCi/L	2.5E+00	U	4.70E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	10198-40-0			2.5E+00						L	13:38				
7050420	CS-134	2.48E+00	pCi/L	2.6E+00	U	5.50E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	13967-70-9			2.6E+00						L	13:38				
7050420	CS-137	1.20E+00	pCi/L	2.3E+00	U	4.61E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	10045-97-3			2.3E+00						L	13:38				
7050420	EU-152	-3.72E+00	pCi/L	4.9E+00	U	8.19E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	14683-23-9			4.9E+00						L	13:38				
7050420	EU-154	-1.94E+00	pCi/L	5.1E+00	U	9.43E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	15585-10-1			5.1E+00						L	13:38				
7050420	EU-155	4.20E-01	pCi/L	3.9E+00	U	6.93E+00			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	14391-16-3			3.9E+00						L	13:38				
7050420	K-40	-3.10E+01	pCi/L	4.2E+01	U	9.02E+01			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	13966-00-2			4.2E+01						L	13:38				
7050420	RU-106	-1.03E+01	pCi/L	2.0E+01	U	3.46E+01			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	13967-48-1			2.0E+01						L	13:38				
7050420	SB-125	1.57E+00	pCi/L	5.7E+00	U	1.06E+01			GAMMALL_GS	2.0001E+00	03/15/2007				D
BLK	14234-35-6			5.7E+00						L	13:38				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJJ1AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BV	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050422	PU-238	3.18E-02	pCi/L	8.1E-02	U	1.90E-01	82.4		PUISO_PLATE	2.057E-01	03/06/2007				D
BLK	13981-16-3			8.1E-02						L	19:05				
7050422	PU-239	-7.95E-03	pCi/L	8.1E-02	U	1.90E-01	82.4		PUISO_PLATE	2.057E-01	03/06/2007				D
BLK	PU-239/240			8.1E-02						L	19:05				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNJM1AB
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BLK

Collection Date: 02/12/2007 12:37
Sample On Date:
Received Date: 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BX	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050424	I-129L	-3.62E-02	pCi/L	1.2E-01	U	2.21E-01	94.9		I129LL_SEP_L	3.7451E+00	03/13/2007				D
BLK	15046-84-1			1.2E-01						L	15:44				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNJR1AB
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BLK

Collection Date: 02/12/2007 12:37
Sample On Date:
Received Date: 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BZ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050426	SR-90	3.29E-01	pCi/L	2.5E-01	U	4.79E-01	80.2		SRISO_SEP_P	1.0025E+00	03/11/2007				D
BLK	10098-97-2			2.5E-01						L	09:19				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Blank Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJV1AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/13/2007 08:59
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/13/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								CB	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050428	ALPHA	1.46E-01	pCi/L	3.0E-01	U	6.59E-01	100.0		9310_ALPHAB	2.033E-01	03/23/2007				D
BLK	12587-46-1			3.0E-01						L	18:51				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

FormNbr: R FormatType: FEAD

STL Richland QC Blank Report

Lab Code: STLRL

VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJW1AB	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/14/2007 10:50
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 02/14/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								CD	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050430	BETA	2.42E+00	pCi/L	1.5E+00	U	2.82E+00	100.0		9310_ALPHAB	2.004E-01	03/23/2007				D
BLK	12587-47-2			1.4E+00						L	17:27				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH01CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BJ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050402	Uranium	3.41E+01	ug/L	4.1E+00		8.15E-02		3.52E+01	UTOT_KPA	2.57E-02	03/20/2007			75	D
BS	7440-61-1			4.1E+00				96.9		ML	15:20			125	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH01DS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BK	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050402	Uranium	3.47E+00	ug/L	3.5E-01		8.19E-02		3.52E+00	UTOT_KPA	2.56E-02	03/20/2007			75	D
BS	7440-61-1			3.5E-01				98.4		ML	15:22			125	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH21CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/15/2007 10:31
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/15/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BM	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050405	TC-99	4.67E+02	pCi/L	3.3E+01		1.02E+01	100.0	5.40E+02	TC99_SEP_LS	1.263E-01	03/07/2007			70	D
BS	14133-76-7			1.2E+01				86.6		L	22:19			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH31CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BO	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050408	TC-99	5.04E+02	pCi/L	3.5E+01		9.98E+00	100.0	5.36E+02	TC99_ETVDSK	1.274E-01	03/03/2007			70	D
BS	14133-76-7			1.3E+01				94.0		L	14:49			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH51CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:39
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BQ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050417	H-3	2.37E+03	pCi/L	2.4E+02		2.98E+02	100.0	2.72E+03	906.0_H3_LSC	5.00E-03	03/13/2007			70	D
BS	10028-17-8			2.0E+02				87.0		L	03:32			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNH51EM	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:39
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BS	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050417	H-3	2.63E+03	pCi/L	2.5E+02		3.03E+02	100.0	2.72E+03	906.0_H3_LSC	5.00E-03	03/13/2007			70	D
BS	10028-17-8			2.1E+02				96.7		L	18:30			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNJF1CS
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BS

Collection Date: 02/12/2007 11:36
Sample On Date:
Received Date: 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BU	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050420	CO-60	3.62E+01	pCi/L	9.9E+00		4.33E+00		3.76E+01	GAMMALL_GS	2.0028E+00	03/15/2007			70	D
BS	10198-40-0			9.9E+00				96.2		L	13:38			130	
7050420	CS-137	2.83E+01	pCi/L	6.8E+00		5.21E+00		2.49E+01	GAMMALL_GS	2.0028E+00	03/15/2007			70	D
BS	10045-97-3			6.8E+00				114.0		L	13:38			130	
7050420	EU-152	6.33E+01	pCi/L	1.7E+01	U	2.47E+01		7.63E+01	GAMMALL_GS	2.0028E+00	03/15/2007			70	D
BS	14683-23-9			1.7E+01				82.9		L	13:38			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id: JPNJJ1CS
Client Id: NA
Moisture/Solids%*:

Sdg/Rept Nbr: W05121 34821
Matrix: WATER WATER
QC Type: BS

Collection Date: 02/12/2007 12:37
Sample On Date:
Received Date: 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BW	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050422	PU-239	4.45E+00	pCi/L	1.0E+00		1.89E-01	85.9	4.50E+00	PUISO_PLATE	2.015E-01	03/07/2007			70	D
BS	PU-239/240			8.4E-01				98.8		L	07:13			130	

STL Richland
rptFeadRadEdd v3.68

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJM1CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BY	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050424	I-129L	7.68E+00	pCi/L	1.1E+00		3.97E-01	95.5	9.93E+00	I129LL_SEP_L	3.8942E+00	03/13/2007			70	D
BS	15046-84-1			1.1E+00				77.3		L	17:30			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJR1CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								CA	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050426	SR-90	1.34E+01	pCi/L	2.1E+00		4.93E-01	81.4	1.35E+01	SRISO_SEP_P	1.0031E+00	03/11/2007			70	D
BS	10098-97-2			7.1E-01				99.1		L	09:19			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJV1CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/13/2007 08:59
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/13/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								CC	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050428	ALPHA	2.43E+01	pCi/L	6.5E+00		9.97E-01	100.0	2.28E+01	9310_ALPHAB	2.00E-01	03/23/2007			70	D
BS	12587-46-1			3.2E+00				106.3		L	18:51			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Control Sample Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPNJW1CS	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/14/2007 10:50
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 02/14/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								CE	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050430	BETA	2.34E+01	pCi/L	3.9E+00		2.52E+00	100.0	2.28E+01	9310_ALPHAB	1.984E-01	03/23/2007			70	D
BS	12587-47-2			2.4E+00				102.4		L	17:27			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPAPP1ER	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	B1M870	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								AV	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050402	Uranium	2.50E+02	ug/L	3.0E+01		8.32E-02			UTOT_KPA	2.52E-02	03/20/2007	1.0	0.1		D
DUP	7440-61-1	2.52E+02		3.0E+01						ML	15:32	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPAPP1FR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 08:27
Client Id:	B1M870	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								AW	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050408	TC-99	1.12E+04	pCi/L	6.7E+02		1.03E+01	100.0		TC99_ETVDSK	1.251E-01	03/02/2007	2.6	0.6		D
DUP	14133-76-7	1.09E+04		5.8E+01						L	23:12	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDCV1DR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:39
Client Id:	B1M951	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								AY	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050417	H-3	1.06E+03	pCi/L	1.8E+02		2.99E+02	100.0		906.0_H3_LSC	5.00E-03	03/13/2007	5.4	0.4		D
DUP	10028-17-8	1.01E+03		1.6E+02						L	10:20	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDM31GR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 11:36
Client Id:	B1M7H8	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-002	MW6-SBB-A19981								AZ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050420	BE-7	-1.43E+01	pCi/L	2.6E+01	U	4.49E+01			GAMMALL_GS	1.9728E+00	03/15/2007	0.0	0.8		D
DUP	13966-02-4	2.08E-01		2.6E+01						L	11:49	20.0	3		
7050420	CO-60	6.02E+01	pCi/L	1.2E+01		4.71E+00			GAMMALL_GS	1.9728E+00	03/15/2007	1.5	0.1		D
DUP	10198-40-0	6.11E+01		1.2E+01						L	11:49	20.0	3		
7050420	CS-134	-2.33E-01	pCi/L	3.2E+00	U	5.72E+00			GAMMALL_GS	1.9728E+00	03/15/2007	0.0	0.		D
DUP	13967-70-9	-1.63E-01		3.2E+00						L	11:49	20.0	3		
7050420	CS-137	9.10E-01	pCi/L	2.6E+00	U	5.05E+00			GAMMALL_GS	1.9728E+00	03/15/2007	128.7	1.8		D
DUP	10045-97-3	4.19E+00		2.6E+00						L	11:49	20.0	3		
7050420	EU-152	1.47E+00	pCi/L	5.8E+00	U	1.07E+01			GAMMALL_GS	1.9728E+00	03/15/2007	70.7	0.4		D
DUP	14683-23-9	3.07E+00		5.8E+00						L	11:49	20.0	3		
7050420	EU-154	7.18E-01	pCi/L	6.8E+00	U	1.37E+01			GAMMALL_GS	1.9728E+00	03/15/2007	0.0	0.4		D
DUP	15585-10-1	-1.34E+00		6.8E+00						L	11:49	20.0	3		
7050420	EU-155	6.54E-01	pCi/L	4.4E+00	U	7.89E+00			GAMMALL_GS	1.9728E+00	03/15/2007	102.6	0.4		D
DUP	14391-16-3	2.03E+00		4.4E+00						L	11:49	20.0	3		
7050420	K-40	-6.44E+01	pCi/L	4.2E+01	U	9.11E+01			GAMMALL_GS	1.9728E+00	03/15/2007	0.0	1.4		D
DUP	13966-00-2	-2.40E+01		4.2E+01						L	11:49	20.0	3		
7050420	RU-106	1.30E+01	pCi/L	2.2E+01	U	4.37E+01			GAMMALL_GS	1.9728E+00	03/15/2007	675.0	1.3		D
DUP	13967-48-1	-7.04E+00		2.2E+01						L	11:49	20.0	3		
7050420	SB-125	-2.75E+00	pCi/L	5.5E+00	U	9.55E+00			GAMMALL_GS	1.9728E+00	03/15/2007	6551.5	1.5		D
DUP	14234-35-6	2.92E+00		5.5E+00						L	11:49	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDMR1ER	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	B1M7F9	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-002	MW6-SBB-A19981								BA	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050422	PU-238	0.00E+00	pCi/L	9.4E-02	U	2.22E-01	75.6		PUISO_PLATE	1.984E-01	03/06/2007	200.0	0.4		D
DUP	13981-16-3	2.97E-02		9.4E-02						L	19:04	20.0	3		
7050422	PU-239	-9.25E-03	pCi/L	9.4E-02	U	2.21E-01	75.6		PUISO_PLATE	1.984E-01	03/06/2007	0.0	0.		D
DUP	PU-239/240	-7.44E-03		9.4E-02						L	19:04	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDMR1FR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	B1M7F9	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-002	MW6-SBB-A19981								BB	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050424	I-129L	5.04E+00	pCi/L	7.4E-01		3.55E-01	93.8		I129LL_SEP_L	3.8784E+00	03/13/2007	17.3	1.5		D
DUP	15046-84-1	4.24E+00		7.4E-01						L	13:57	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDMR1GR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 12:37
Client Id:	B1M7F9	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-002	MW6-SBB-A19981								BC	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050426	SR-90	6.13E-01	pCi/L	4.7E-01	U	9.17E-01	50.6		SRISO_SEP_P	9.007E-01	03/11/2007	11.0	0.2		D
DUP	10098-97-2	5.49E-01		4.6E-01						L	09:19	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPHEX1FR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/13/2007 08:59
Client Id:	B1M9B1	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/13/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								BE	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050428	ALPHA	1.48E+00	pCi/L	1.4E+00	U	2.16E+00	100.0		9310_ALPHAB	1.792E-01	03/23/2007	17.7	0.2		D
DUP	12587-46-1	1.24E+00		1.3E+00						L	16:57	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPHGJ2GR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/14/2007 10:50
Client Id:	B1LD97	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/14/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-012	MW6-SBB-A19981								BF	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050430	BETA	9.51E+00	pCi/L	2.3E+00		2.86E+00	100.0		9310_ALPHAB	2.001E-01	03/27/2007	13.2	0.7		D
DUP	12587-47-2	8.34E+00		1.9E+00						L	11:46	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland QC Duplicate Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPMDG1DR	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/15/2007 10:31
Client Id:	B1M854	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 02/15/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								BG	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050405	TC-99	7.87E+03	pCi/L	4.7E+02		1.05E+01	100.0		TC99_SEP_LS	1.255E-01	03/07/2007	15.2	3.9		D
DUP	14133-76-7	9.16E+03		4.9E+01						L	17:06	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland Qc Matrix Spike Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPAPR1DW	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/09/2007 11:51
Client Id:	B1M902	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	MS		**Received Date:** 02/09/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								AX	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050408	TC-99	3.49E+03	pCi/L	2.7E+02		1.04E+01	100.0	3.67E+03	TC99_ETVDSK	1.247E-01	03/03/2007			60	D
MS	14133-76-7			3.7E+01				95.1		L	01:17			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland Qc Matrix Spike Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPDMW1GW	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/12/2007 11:36
Client Id:	B1M7H7	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	MS		**Received Date:** 02/12/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S07-002	MW6-SBB-A19981								BD	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050402	Uranium	3.31E+01	ug/L	5.2E+00		8.25E-02		3.55E+01	UTOT_KPA	2.54E-02	03/20/2007			60	D
MS	7440-61-1			5.2E+00				93.2		ML	15:41			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, March 29, 2007

STL Richland Qc Matrix Spike Report

Lab Code: STLRL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05121.Edd, h:\Reportdb\edd\FeadIV\Rad\34821.Edd

Lab Sample Id:	JPMDH1EW	**Sdg/Rept Nbr:**	W05121	34821	**Collection Date:** 02/15/2007 12:05
Client Id:	B1M8L2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	MS		**Received Date:** 02/15/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-002	MW6-SBB-A19981								BH	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7050405	TC-99	2.93E+03	pCi/L	2.3E+02		1.02E+01	100.0	3.59E+03	TC99_SEP_LS	1.265E-01	03/07/2007			60	D
MS	14133-76-7			3.3E+01				81.6		L	19:11			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/8/2007 7:49:06 AM

Lot No., Due Date: J7B130298; 03/29/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050422; RPUISO Pulso by ALP

SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used OK	✓		
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. RPD > UCL : 20.0=> JPDMR1AE PU-238 200.0 (RPD) Both < MDA ok PA 3.8.07		✓	
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. OK	✓		
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) OK	✓		
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc. Activity Not Detected, U Flag. No Positive Results OK	✓		
8.23 Result <= Action Level, when Defined. OK: No Action Level Found => PU-238 PU-239 OK: No Callin Level Found => PU-238 PU-239	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		

8.25 Counting Spectrum are within FWHM Limits. Yes No N/A
FWHM > maxFWHM => JPNJJ1AC PU-239 49>0 Q:V1

8.26 Instruments have Current Calibrations. Yes No N/A

8.27 Correct Count Library Used. Yes No N/A
Library Not Specified => JPDMR1AC I:[NUC_LIBR]AR_PU Q:
JPDMR1AE I:[NUC_LIBR]AR_PU Q:
JPNJJ1AA I:[NUC_LIBR]AR_PU Q:
JPNJJ1AC I:[NUC_LIBR]AR_PU Q:

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes No N/A
OK

First Level Review Pam Anderson Date 3-8-07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050422
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl R Adam Date: 3-13-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/27/2007 10:20:39 AM

Lot No., Due Date: J7B150271,J7B150278; 03/30/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050428; RALPHA-A Alpha by GPC-Am

SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used Analysis Volume => JPHEX1AA 178.80<200.00 JPHFH1AA 179.60<200.00 Q:VB		✓	
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. OK	✓		
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) OK	✓		
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. Batch Positive Result => JPHGJ1AC ALPHA 1.9E+00 L:1.7E+00		✓	
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => ALPHA OK; No Callin Level Found => ALPHA	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.26 Instruments have Current Calibrations. Yes No N/A

8.27 Correct Count Library Used. Yes No N/A ✓
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes ✓ No N/A
OK

First Level Review Lisa Autonson Date 3/27/07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 705428
WO 5121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?			
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Sheryl A Adam Date: 3-27-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/27/2007 3:44:45 PM

Lot No., Due Date: J7B150271,J7B150278,J7B150285; 03/30/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050430; RBETA-SR Beta by GPC-Sr/Y

SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used	✓		
Analysis Volume => JPHFH1AC 174.20<200.00 JPHHH1AA 161.90<200.00 Q:VB		✓	
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits.			✓
No Matrix Blanks (MBlks) found in Batch!			
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits.		✓	
RPD > UCL : 20.0=> JPHGJ1AG BETA 22.0 JPHGJ2AG BETA 24.0 (RPD)			
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits.			✓
No Matrix Spikes (MLCS) found in Batch!			
8.16 MS within Control Limits.			✓
No Matrix Spike Samples (MS) found in Batch!			
8.17 Tracer within Control Limits. OK	✓		
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) OK	✓		
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag.			✓
No Limit Specified!			
8.22 Result < Mdc, Activity Not Detected, U Flag.		✓	
Batch Positive Result => JPHEX1AC BETA 9.1E+01 L:2.8E+00 JPHFA1AC BETA 2.8E+02 L:2.8E+00 JPHFH1AC BETA 5.7E+01 L:3.1E+00 JPHFJ1AC BETA 3.4E+02 L:2.8E+00 JPHGJ1AD BETA 7.5E+00 L:2.8E+00 JPHHE1AA BETA 1.5E+01 L:2.9E+00 JPHHH1AA BETA 2.2E+03 L:3.1E+00 JPHGJ2AD BETA 8.3E+00 L:3.1E+00			

8.23 Result <= Action Level, when Defined. Yes No N/A
OK; No Action Level Found => BETA

OK; No Callin Level Found => BETA

8.24 Result + 3s >=0, Not Too Negative. Yes No N/A
OK

8.25 Counting Spectrum are within FWHM Limits. Yes No N/A
No FWHM found in Batch Data!

8.26 Instruments have Current Calibrations. Yes No N/A

8.27 Correct Count Library Used. Yes No N/A
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments: NCM 10-0726418

8.31 Results Blank Subtracted as Appropriate. Yes No N/A
OK

First Level Review Fran Gustavson Date 3/27/07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050430
WO5121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?	✓		
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: See NCM

Second Level Review: Theresa A Adam Date: 3-29-07

Clouseau
Nonconformance Memo

SEVERN TRENT SERVICES

NCM #: **10-09648**
NCM Initiated By: Lisa Antonson
Date Opened: 03/27/2007
Date Closed:

Classification: **Anomaly**
Status: **GLREVIEW**
Production Area: Environmental - Prep
Tests: Beta by GPC-Sr/Y
Lot #'s (Sample #'s): J7B150271 (1,2,3,4), J7B150278 (1), J7B150285 (1,2,3), J7B190000 (430),
QC Batches: 7050430

Nonconformance: Other (describe in detail)
Subcategory: Other (explanation required)

Problem Description / Root Cause

Name	Date	Description
Lisa Antonson	03/27/2007	1. The dups were out on the first count of this Beta batch. A recount brought them within acceptance limits. 2. The blank for this sample is above 1/2 the CRDL at 2.42. All samples except JPHHN1AA have results that exceed the CRDL, data accepted.

Corrective Action

Name	Date	Corrective Action
Lisa Antonson	03/27/2007	Will monitor blank results.

Client Notification Summary

Client	Project Manager	Notified	Response	How Notified	Note	Response	Response Note

Quality Assurance Verification

Verified By	Due Date	Status	Notes
		This section not yet completed by QA.	

Approval History

Date Approved	Approved By	Position

STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/14/2007 8:15:53 AM

Lot No., Due Date: J7B130298; 03/29/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050426; RSR85907 Sr-85/90 by GPC-7

SDG, Matrix: W05121; WATER

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes ✓	No	N/A
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes	No	N/A ✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes ✓	No	N/A
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes ✓	No	N/A
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review Pam Peterson Date 3-14-07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 705426
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis			
1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples			
1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other			
1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl A Adam Date: 3-14-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/19/2007 3:50:50 PM

Lot No., Due Date:	J7B120175,J7B130298,J7B150271,J7B180101; 03/26/2007,03/29/2007,03/30/2007,04/02/2007
Client, Site:	384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test:	7050420; RGAMMA Gamma by GER
SDG, Matrix:	W05121; WATER

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes	No	N/A ✓
3.0 QC & Samples			
3.1 is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes	No	N/A ✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes	No	N/A ✓
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes ✓	No	N/A
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review Pam Anderson Date 3-19-07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050420
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl A Wilson Date: 5-20-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/19/2007 1:50:57 PM

Lot No., Due Date: J7B130298; 03/29/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050424; RGAMLEPS Gamma by LEPS

SDG, Matrix: W05121; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?			✓
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Review Lisa Johnson Pam Isaacson 3-19-07 **Date** 3/19/07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050424
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl A Wilson Date: 5-20-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/5/2007 3:40:04 PM

Lot No., Due Date: J7B120175,J7B130255,J7B130298,J7B150271,J7B150278; 03/26/2007,03/29/2007,03/30/2007

Client, Site: 384868; PGW

QC Batch No., Method Test: 7050408; RTC99 Tc-99 by LSC

SDG, Matrix: W0512/,,,,,,,,,,; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples Incorrect Tracer/Vial => JPAPR1AD TCSG<>TCSE Q:V9 3/5/07 UMA		✓	
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used OK	✓		
8.07 The Correct Count Geometry was Used. Count Geometry => JPNH31AD SVP15/5<>TEVA JPAPP1AC SVP15/5<>TEVA JPAPP1AF SVP15/5<>TEVA JPAPR1AC SVP15/5<>TEVA JPAPR1AD SVP15/5<>TEVA JPAPR1AD SVP15/5<>TEVA JPAP21AC SVP15/5<>TEVA JPAP51AC SVP15/5<>TEVA JPDCV1AC SVP15/5<>TEVA JPDMW1AE SVP15/5<>TEVA JPDM31AE SVP15/5<>TEVA JPHEX1AE SVP15/5<>TEVA JPHFA1AE SVP15/5<>TEVA JPNH31AE SVP15/5<>TEVA JPHFH1AE SVP15/5<>TEVA JPHFJ1AE SVP15/5<>TEVA JPHGJ1AE SVP15/5<>TEVA JPNH31AA SVP15/5<>TEVA JPNH31AC SVP15/5<>TEVA Q:VC		✓	
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. OK	✓		
8.17 Tracer within Control Limits. No Tracers found in Batch!			✓
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!			✓
8.19 Sample Specific MDC <= CRDL. OK	✓		

8.2 Comments:

	Yes	No	N/A
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. No Positive Results OK Calc_IDL Not Calculated		✓	
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => TC-99 OK; No Callin Level Found => TC-99		✓	
8.24 Result + 3s >=0, Not Too Negative. OK		✓	
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓
8.26 Instruments have Current Calibrations.			
8.27 Correct Count Library Used. No Count Library found in Batch Data!			✓
8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions)			
8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions)			

8.3 Comments:

	Yes	No	N/A
8.31 Results Blank Subtracted as Appropriate. OK	✓		

First Level Review Lisa Anderson Date 3/5/07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050408
W05127

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4, Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Sheryl A Adam Date: 5-5-07

Lot No., Due Date: J7B180101; 04/02/2007
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 7050405; RTC99 Tc-99 by LSC
SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples Incorrect Tracer/Vial => JPMDH1AE TCSG<>TCSE Q:V9		✓	
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used OK	✓		
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. OK	✓		
8.17 Tracer within Control Limits. No Tracers found in Batch!			✓
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!			✓
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. No Positive Results OK Calc_IDL Not Calculated	✓		
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => TC-99 OK; No Callin Level Found => TC-99	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.26 Instruments have Current Calibrations. Yes No N/A

8.27 Correct Count Library Used. Yes No N/A ✓
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes No N/A ✓
OK

First Level Review Pam Anderson Date 3-9-07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 705405
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	/		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	/		
3. Are the correct isotopes reported?	/		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	/		
2. Does the blank result meet the Contract criteria?	/		
3. Is the blank result < the Contract Detection Limit?	/		
4, Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			/
5. Is the LCS recovery with contract acceptance criteria?	/		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	/		
8. Do the MS/MSD results and yields meet acceptance criteria?			/
9. Do the duplicate sample results and yields meet acceptance criteria?	/		
C. Other 1. Are all Nonconformances included and noted?			/
2. Are all required forms filled out?	/		
3. Was the correct methodology used?	/		
4. Was transcription checked?	/		
5. Were all calculations checked at a minimum frequency?	/		
6. Were units checked?	/		

Comments on any "No" response:

Second Level Review: Sheryl A Adam Date: 5-15-07

SEVERN TRENT STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/14/2007 1:02:21 PM

Lot No., Due Date: J7B120175,J7B130255,J7B130298,J7B150278,J7B180101;

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050417; RTRITIUM H-3 by LSC

SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used Analysis Volume => JPAPR1AA 5.00<10.00 JPAP21AA 5.00<10.00 JPAP51AA 5.00<10.00 JPDCV1AA 5.00<10.00 JPDMW AA 5.00<10.00 JPDM31AA 5.00<10.00 JPHGJ1AA 5.00<10.00 JPMDH AA 5.00<10.00 JPMDJ1AA 5.00<10.00 Q:VB ok AL 3/14/07		✓	
8.07 The Correct Count Geometry was Used. Count Geometry => JPNH51AF SVP15/5<>SVP10/10 JPNH51AG SVP15/5<>SVP10/10 JPNH51AA SVP15/5<>SVP10/10 JPNH51AC SVP15/5<>SVP10/10 JPAPR1AA SVP15/5<>SVP10/10 JPAP21AA SVP15/5<>SVP10/10 JPAP51AA SVP15/5<>SVP10/10 JPDCV1AA SVP15/5<>SVP10/10 JPDCV1AD SVP15/5<>SVP10/10 JPDMW AA SVP15/5<>SVP10/10 JPDM31AA SVP15/5<>SVP10/10 JPHGJ1AA SVP15/5<>SVP10/10 JPNH51AH SVP15/5<>SVP10/10 JPNH51AD SVP15/5<>SVP10/10 JPNH51AE SVP15/5<>SVP10/10 JPMDH1AA SVP15/5<>SVP10/10 JPMDJ1AA SVP15/5<>SVP10/10 Q:VC ok AL 3/14/07		✓	
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. OK	✓		
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. OK	✓		
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. No Tracers found in Batch!			✓

8.18 Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!	Yes	No	N/A ✓
8.19 Sample Specific MDC <= CRDL. OK	Yes ✓	No	N/A
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!	Yes	No	N/A ✓
8.22 Result < Mdc, Activity Not Detected, U Flag. No Positive Results OK Calc_IDL Not Calculated	Yes ✓	No	N/A
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => H-3 OK; No Callin Level Found => H-3	Yes ✓	No	N/A
8.24 Result + 3s >=0, Not Too Negative. OK	Yes ✓	No	N/A
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!	Yes	No	N/A ✓
8.26 Instruments have Current Calibrations.	Yes	No	N/A
8.27 Correct Count Library Used. No Count Library found in Batch Data!	Yes	No	N/A ✓
8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions)	Yes	No	N/A
8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions)	Yes	No	N/A
8.3 Comments:			
8.31 Results Blank Subtracted as Appropriate. OK	Yes ✓	No	N/A

First Level Review Angela Long Date 3/14/07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7050417
W05121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl A Adam Date: 3-14-07

SEVERN STL

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

3/21/2007 9:26:25 AM

Lot No., Due Date: J7B120175,J7B130298,J7B150278,J7B180101; 03/26/2007,03/29/2007,03/30/2007,04/02/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7050402; RUNAT UNat by KPA

SDG, Matrix: W05121; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples Incorrect Tracer/Vial => JPNH01AD UNSC<>UNSF Q:V9		✓	
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used No Count Analysis Size found in Batch Data!			✓
8.07 The Correct Count Geometry was Used. No Count Geometry found in Batch Data!			✓
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. No Count Duration Field Found in Batch Data!			✓
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. OK	✓		
8.17 Tracer within Control Limits. No Tracers found in Batch!			✓
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!			✓
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. Batch Positive Result => JPAPP1AD Uranium 2.5E+02 L:7.7E-02 JPDM31AF Uranium 8.7E+00 L:8.4E-02 JPDMW1AF Uranium 9.0E+00 L:8.3E-02 JPHGJ1AF Uranium 6.1E+00 L:8.4E-02 JPMDH1AD Uranium 6.1E+00 L:8.1E-02 JPMDJ1AD Uranium 6.2E+00 L:8.3E-02		✓	
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => Uranium OK; No Callin Level Found => Uranium	✓		

8.24 Result + 3s >=0, Not Too Negative. OK	Yes ✓	No	N/A
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!	Yes	No	N/A ✓
8.26 Instruments have Current Calibrations.	Yes	No	N/A
8.27 Correct Count Library Used. No Count Library found in Batch Data!	Yes	No	N/A ✓
8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions)	Yes	No	N/A
8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions)	Yes	No	N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. OK	Yes ✓	No	N/A

First Level Review Paul Anderson Date 3-21-07

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 705402
W35121

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4, Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Nonconformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response:

Second Level Review: Sheryl R Adams Date: 3-21-07

STL RICHLAND

PNNL J7B120175 ~~W05117~~ W05121
Rw 2/14/07
Due 03-26-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-56**

Page 1 of 1

Collector LOSS CARRIGAN	Contact/Requester Dot Stewart	Telephone No. 509-376-5056 MSIN FAX
SAF No. W07-002	Sampling Origin Hanford Site	Purchase Order/Charge Code
Project Title RCRA, FEBRUARY 2007	HNF-N-506-1	Ice Chest No. SAWS-109 Temp.
Shipped To (Lab) Severn Trent Incorporated, Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M870		W	2-9-07	0827	1x20-mL P	Activity Scan	None
B1M870		W	↓	↓	1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
B1M870		W	↓	↓	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M870		W	↓	↓	1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
						JPAPD	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
FLUOR HANFORD R.F. CARRIGAN		RF Carrigan	FEB 09 2007 1420	Eric Darby		Eric Darby	FEB 09 2007 1420
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liqui
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

PNNL J7B120175
Rw 2/14/07 ~~W0547~~ W05121
Due 03-26-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-254**

Page 1 of 1

Collector: FLUOR HANFORD R.F. CARRIGAN	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: W07-002	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: RCRA, FEBRUARY 2007	HNF-N-506-1	Ice Chest No.: SAW3-109 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.

WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M902		W	2-9-07	1151	1x20-mL P	Activity Scan	None
B1M902		W	↓	↓	1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M902		W	↓	↓	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None

JPAPR

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
FLUOR HANFORD R.F. CARRIGAN	R.F. Carrigan		FEB 09 2007 1420	Eric Darby	Eric Darby		FEB 09 2007 1420
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liqui
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

STL RICHLAND

PNNL JTB120175
R23/14107 ~~WSHT~~ W05121
Due 03-26-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-263**

Page 1 of 1

Collector FLUOR HANFORD R.F. CARRIGAN	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056	**MSIN**	**FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**		
Project Title RCRA, FEBRUARY 2007	HAF-N-5264	**Ice Chest No.** ~~SHWS-109~~	**Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**	
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**	

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M907		W	2-9-07	1014	1x20-mL P	Activity Scan	None
B1M907		W	↓	↓	1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M907		W	↓	↓	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
						JPAP2	

	Print	Sign	Date/Time		Print	Sign	Date/Time
Relinquished By FLUOR HANFORD R.F. CARRIGAN	R F Carrigan		FEB 09 2007 1420	Received By	Eric Darby	Eric Darby	FEB 09 2007 1420
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) | Disposed By | Date/Time

PNNL J7B120175
RW 2/14/07 ~~W05117~~ W05121
Due 03-26-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-262**

Page 1 of 1

Collector: FLUOR HANFORD R.F. CARRIGAN	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: W07-002	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: RCRA, FEBRUARY 2007	HNF-N-506.1	Ice Chest No.: SAWS 109 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M906		W	2-9-07	1014	1x20-mL P	Activity Scan	None
B1M906		W	↓	↓	1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M906		W	↓	↓	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
						JPAP5	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
FLUOR HANFORD R.F. CARRIGAN	R.F. Carrigan		FEB 09 2007 1420	Eric Darby	Eric Darby		FEB 09 2007 1420
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

STL

Sample Check-in List

Date/Time Received: 2/9/07 1420 W05121

Client: PNL SDG #: ~~W05119~~ RW2114107 NA [ ] SAF # W07-002 NA [ ]

Work Order Number: JTB120175 Chain of Custody # W07-002-56, 254, 263, 262

Shipping Container ID: _____ Air Bill # _____

1 Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]

2 Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]

3 Chain of Custody record present? Yes [✓] No [ ]

4 Cooler temperature: _____ NA [✓] 5 Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]

6 Number of samples in shipping container 4

7 Sample holding times exceeded? NA [ ] Yes [ ] No [ ]

8. Samples have:
_____tape
_____custody seals
_____hazard labels
[✓] appropriate samples labels

Samples are:
[✓] in good condition
_____broken
_____leaking
_____have air bubbles
(Only for samples requiring head space)

10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ]

11. Sample Location, Sample Collector Listed? *
*For documentation only. No corrective action needed. Yes [✓] No [ ]

12 Were any anomalies identified in sample receipt? Yes [ ] No [✓]

13 Description of anomalies (include sample numbers) _____

Sample Custodian: Ed Danby Date: 2/9/07 1420

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

LS-023 9/03, Rev. 5

PNNL J7B130255 W05121
Rec 2/14/07 ~~W05119~~ Due 03.29.07
FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-430**

Page 1 of 1

Collector M.R. WEIL	Contact/Requester Dot Stewart	Telephone No. 509-376-5056 MSIN FAX
SAF No. W07-002	Sampling Origin Hanford Site	Purchase Order/Charge Code
Project Title RCRA, FEBRUARY 2007	HNF-N-506 3	Ice Chest No. SML 595 Temp.
Shipped To (Lab) Severn Trent Incorporated, Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M951		W	2-12-07	1239	1x20-mL P	Activity Scan	None
B1M951		W	↓	↓	1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M951		W	↓	↓	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
						JPDCV	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
FLUOR HANFORD M.R. WEIL	[signature]		FEB 1 2 2007 1440	[signature]	Eric Darly		FEB 1 2 2007 1440
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

STL RECEIVED

86

SEVERN TRENT STL

Sample Check-in List

Date/Time Received: 2/12/07 1450 W05121

Client: PNL SDG #: ~~W05117~~ NA [ ] SAF #: W07-002 NA [ ]

Work Order Number: 7B130255 2/14/07 Chain of Custody #: W07-002-430

Shipping Container ID: _____ Air Bill # _____

1 Custody Seals on shipping container intact? NA [ ] Yes [ ] No [ ]

2 Custody Seals dated and signed? NA [ ] Yes [ ] No [ ]

3 Chain of Custody record present? Yes [ ] No [ ]

4 Cooler temperature: _____ NA [ ]

5 Vermiculite/packing materials is NA [ ] Wet [ ] Dry [ ]

6 Number of samples in shipping container: 1

7 Sample holding times exceeded? NA [ ] Yes [ ] No [ ]

8 Samples have:
_____ tape
_____ custody seals
_____ hazard labels
_____ appropriate samples labels

9 Samples are:
_____ in good condition
_____ broken
_____ leaking
_____ have air bubbles
(Only for samples requiring head space)

10 Sample pH taken? NA [ ] pH<2 [ ] pH>2 [ ] pH>9 [ ]

11 Sample Location, Sample Collector Listed? *
*For documentation only. No corrective action needed. Yes [ ] No [ ]

12 Were any anomalies identified in sample receipt? Yes [ ] No [ ]

13 Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 2/12/07 1450

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client informed on _____ by _____ Person contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

LS-023 9/03, Rev 5

STL RICHLAND

PNNL JTB130298
WO 5121
Due 03-29-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # S07-002-42

Page 1 of 1

Collector Fluor Hanford F. M. HALL	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. S07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, FEBRUARY 2007	Logbook: HNF-N-506-4	**Ice Chest No.** ERC.96-034 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M7F9		W	2/12/07	1237	1x20-mL P	Activity Scan	None
B1M7F9		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1M7F9		W			1x1000-mL G/P	PUISO_PLATE_AEA: Pu-238 + 239/240 (2)	HNO3 to pH <2
B1M7F9		W			3x1000-mL G/P	SRISO_SEP_PRECIP_GPC: Sr-90 (1)	HNO3 to pH <2
						JPDMR	
						D. Wall 2/12/07	

Relinquished By Fluor Hanford F. M. HALL Print / Sign	Date/Time 1455 FEB 12 2007	Received By Eric Darby Print / Sign	Date/Time 1455 FEB 12 2007
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

88

STL RICHLAND

PNNL J7B130298
W05121
Due 03-29-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **S07-002-50**

Page 1 of 1

Collector Fluor Hanford F. M. HALL	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. S07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, FEBRUARY 2007	Logbook: HNF-N-506-4	**Ice Chest No.** ERC 96-034 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.

WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M7H2		W	2/12/07	1036	1x20-mL P	Activity Scan	None
B1M7H2		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

JPDMT

D Wall 2/12/07

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Fluor Hanford F. M. HALL	[signature]		FEB 12 2007 1455	Eric Darby	Eric Darby		FEB 12 2007 1455
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

STL RICHLAND

PNNL JTB130298
WO5121
Due 03-29-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # S07-002-62

Page 1 of 1

Collector Fluor Hanford F. M. HALL	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. S07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, FEBRUARY 2007	Logbook: HNF-N-506-4	**Ice Chest No.** ERC 96-034 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M7H7		W	2/12/07	1136	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
B1M7H7		W	↓	↓	1x20-mL P	Activity Scan	None
B1M7H7		W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M7H7		W			2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1M7H7		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M7H7		W	↓	↓	1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
						JPDMW	
						L. Wall 2/12/07	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Fluor Hanford F. M. HALL		FEB 12 2007	1455	Eric Dorley	Eric Dorley	FEB 12 2007	1455
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

PNNL JTB130298
W05121
Due 03-29-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # S07-002-63

Page 1 of 1

Collector Fluor Hanford E.M. HALL	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. S07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, FEBRUARY 2007	Logbook: HNF-N-506-4	**Ice Chest No.** ERC96-034 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M7H8		W	2/12/07	1136	1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
B1M7H8		W	↓	↓	1x20-mL P	Activity Scan	None
B1M7H8		W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M7H8		W			2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1M7H8		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M7H8		W			1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
						JPDm3	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Fluor Hanford E.M. HALL			FEB 12 2007 1455		Eric Darby	Eric Darby	FEB 12 2007 1455
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

SITE RICHLAND

91

STL

Sample Check-in List

Date/Time Received: 2/12/07 1455

Client: PNL SDG #: W0512/ NA [ ] SAF #: 507-002 NS

Work Order Number: JTB130298 Chain of Custody #: 507-002-42,50,62,63

Shipping Container ID: _____ Air Bill #: _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? Yes [✓] No [ ]
4. Cooler temperature: _____ NA [✓] 5 Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 4
7. Sample holding times exceeded? NA [ ] Yes [ ] No [ ]
8. Samples have:
   _____tape
   _____custody seals
   _____hazard labels
   [✓] appropriate samples labels
9. Samples are:
   [✓] in good condition
   _____broken
   _____leaking
   _____have air bubbles
   (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ]
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed. Yes [✓] No [ ]
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: Ev Darby Date: 2/12/07 1455

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client informed on _____ by _____ Person contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

CS-023 9/03, Rev 5

PNNL JTB150271
WO 5121
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-498**

Page 1 of 1

STL RICHLAND

Collector Fluor Hanford D. E. PARCHEN	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-N-506 3	**Ice Chest No.** SIHL 595 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M9B1		W	2-13-07	0859	1x20-mL P	Activity Scan	None
B1M9B1		W	↓	↓	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M9B1		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M9B1		W	★	★	1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
						JPHEX	

Relinquished By	Print / Sign	Date/Time	Received By	Print / Sign	Date/Time
Fluor Hanford D.E. PARCHEN	D. E. PARCHEN	FEB 13 2007 1445	Eric Darby	Eric Darby	FEB 13 2007 1445
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

63

PNNL JTB150271
W05121
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # W07-002-514

Page 1 of 1

Collector Fluor Hanford D. E. PARCHEN	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-N-506 3	**Ice Chest No.** SML 595 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M9C1		W	2-7-07	1113	1x20-mL P	Activity Scan	None
B1M9C1		W	↑		1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M9C1		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M9C1		W	↓	↓	1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
						JPHEA	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
~~Fluor Hanford~~ D. E. PARCHEN			FEB 13 2007		Eric Darby	Eric Darby	FEB 13 2007
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

STL RICHLAND

94

STL RICHLAND

PNNL JTB150271
W0512/
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-522**

Page 1 of 1

Collector ~~Fluor Hanford~~ D. E. PARCHEN	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-N-5067	**Ice Chest No.** SHL 595 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M9C6		W	2-13-07	1109	1x20-mL P	Activity Scan	None
B1M9C6		W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M9C6		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M9C6		W			1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
						JPHFH	

Relinquished By ~~Fluor Hanford~~ D. E. PARCHEN Print / Sign	Date/Time 1445 FEB 13 2007	Received By Eric Darby Print / Sign	Date/Time 1445 FEB 13 2007
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil	SE = Sediment	SO = Solid	SL = Sludge
W = Water	O = Oil	A = Air	DS = Drum Solid
DL = Drum Liqui	T = Tissue	WI = Wine	L = Liquid
V = Vegetation	X = Other		

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

95

PNNL JTB150271
W05121
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-538**

Page 1 of 1

Collector Fluor Hanford D. E. PARCHEN	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-N-506 3	**Ice Chest No.** SML 595 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M9D6		W	2-13-07	1154	1x20-mL P	Activity Scan	None
B1M9D6		W	↓	↓	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1M9D6		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1M9D6		W			1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
						JPHFJ	

Relinquished By Print: Fluor Hanford D. E. PARCHEN Sign: D. E. Parchen Date/Time: FEB 13 2007 1445	Received By Print: Eric Darby Sign: Eric Darby Date/Time: FEB 13 2007 1445	Matrix *	
Relinquished By Date/Time	Received By Date/Time	S = Soil, SE = Sediment, SO = Solid, SL = Sludge, W = Water, O = Oil, A = Air	DS = Drum Solid, DL = Drum Liqui, T = Tissue, WI = Wine, L = Liquid, V = Vegetation, X = Other
Relinquished By Date/Time	Received By Date/Time		
Relinquished By Date/Time	Received By Date/Time		
FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time	

SIT RICHLAND

96

SEVERN TRENT STL

Sample Check-in List

Date/Time Received 2/13/07 1445

Client PNL SDG # W05121 NA ( ) SAF # W07-002 NA ( )

Work Order Number: J7B150271 Chain of Custody # W07-002-498, 514, 522, 538

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA ( ) Yes (✓) No ( )
2. Custody Seals dated and signed? NA ( ) Yes (✓) No ( )
3. Chain of Custody record present? Yes (✓) No ( )
4. Cooler temperature _____ NA (✓) Vermiculite/packing materials is NA (✓) Wet (✓) Dry ( )
6. Number of samples in shipping container 4
7. Sample holding times exceeded? NA ( ) Yes ( ) No ( )
8. Samples have:
   - ____ tape
   - ____ custody seals
   - ____ hazard labels
   - (✓) appropriate samples labels
9. Samples are
   - (✓) in good condition
   - ____ broken
   - ____ leaking
   - ____ have air bubbles (Only for samples requiring head space)
10. Sample pH taken? NA ( ) pH<2 (✓) pH>2 ( ) pH>9 ( )
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed Yes (✓) No ( )
12. Were any anomalies identified in sample receipt? Yes ( ) No (✓)
13. Description of anomalies (include sample numbers) _____

Sample Custodian: [signature] Date: 2/13/07 ~~1445~~ 1445

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person contacted _____

( ) No action necessary, process as is.

Project Manager _____ Date _____

LS-023, 9/03, Rev. 5

STL RICHLAND

PNNL JTB/150278
WO5121
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # S07-012-468

Page 1 of 1

Collector: R.R. FOX	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: S07-012	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: SURV, DECEMBER 2006	HNFN-506-3	Ice Chest No.: SML595 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1LD97		W	2/14/07	1050	1x20-mL P	Activity Scan	None
B1LD97		W			1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
B1LD97		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2
B1LD97		W			1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
B1LD97		W			1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
						JPHGJ	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
R.R. FOX			FEB 14 2007 1240	Eric Darby	Eric Darby	Eric Darby	FEB 14 2007 1240
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil	DS = Drum Solid	SE = Sediment	DL = Drum Liqui
SO = Solid	T = Tissue	SL = Sludge	WI = Wine
W = Water	L = Liquid	O = Oil	V = Vegetation
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

98

STL

Sample Check-in List

Date/Time Received: 2/14/07

Client: PNL SDG #: W0512/ NA ( ) SAF #: 307-012 NA ( )

Work Order Number: JTB150278 Chain of Custody #: 507-012-468

Shipping Container ID: _____ Air Bill #: _____

1 Custody Seals on shipping container intact? NA ( ) Yes (✓) No ( )

2 Custody Seals dated and signed? NA ( ) Yes (✓) No ( )

3 Chain of Custody record present? NA ( ) Yes (✓) No ( )

4 Cooler temperature: _____ NA (✓) 5 Vermiculite/packing materials is NA (✓) Wet ( ) Dry ( )

6 Number of samples in shipping container: 1

7 Sample holding times exceeded? NA (✓) Yes ( ) No ( )

8. Samples have:
_____tape
_____custody seals
_____hazard labels
_✓_appropriate samples labels

9 Samples are
_✓_in good condition
_____broken
_____leaking
_____have air bubbles
(Only for samples requiring head space)

10. Sample pH taken? NA ( ) pH<2 (✓) pH>2 ( ) pH>9 ( )

11 Sample Location, Sample Collector Listed? *
*For documentation only. No corrective action needed Yes (✓) No ( )

12 Were any anomalies identified in sample receipt? Yes ( ) No (✓)

13 Description of anomalies (include sample numbers): _____

Sample Custodian: Eric Darby Date: 2/14/07 1240

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person contacted _____

( ) No action necessary, process as is.

Project Manager _____ Date _____

CS-023, 9/03, Rev 5

STE RICHLAND

PNNL J7B150285
WD5121
Due 03.30.07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # G07-002-12

Page 1 of 1

Collector: Fluor Hanford R. T. SICKLE	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: G07-002	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 1NR2-RB, FEBRUARY 2007	Logbook: HNF-N-506-4	Ice Chest No.: SML-562 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M5Y2		W	2/14/07	0944	1x1000-mL P	9310_ALPHABETA_GPC: Gross Beta (1)	HNO3 to pH <2
B1M5Y2		W	↓	↓	1x20-mL P	Activity Scan	None

JPHHE

L Wall 2/14/07

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Fluor Hanford R. T. SICKLE			FEB 14 2007 1435	Eric Darby	Eric Darby		FEB 14 2007 1435

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

100

STL RICHLAND

PNNL JTB150285
W05121
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # G07-002-14

Page 1 of 1

Collector Fluor Hanford R. T. SICKLE	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. G07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 1NR2-RB, FEBRUARY 2007	Logbook: HNF-N-506-4	**Ice Chest No.** SNL-562 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M5X8		W	2/14/07	0850	1x1000-mL P	9310_ALPHABETA_GPC: Gross Beta (1)	HNO3 to pH <2
B1M5X8		W	↓	↓	1x20-mL P	Activity Scan	None
						JPHHH	
						L Wall 2/14/07	

Relinquished By Print: Fluor Hanford R. T. SICKLE Sign:	Date/Time 1435 FEB 14 2007	Received By Print: Eric Darby Sign:	Date/Time 1435 FEB 14 2007
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

1011

STL RICHLAND

PNNL JTB150285
WO5124
Due 03-30-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # G07-002-15

Page 1 of 1

Collector: ~~Fluor Hanford~~ R. T. SICKLE	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: G07-002	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 1NR2-RB, FEBRUARY 2007	Logbook: HNF-N-506-4	Ice Chest No.: SNL-562 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M5X9		W	2/14/07	0730	1x1000-mL P	9310_ALPHABETA_GPC: Gross Beta (1)	HNO3 to pH <2
B1M5X9		W	↓	↓	1x20-mL P	Activity Scan	None
						JPHHN	

D. Wall 2/14/07

	Print	Sign	Date/Time		Print	Sign	Date/Time
Relinquished By	~~Fluor Hanford~~ R. T. SICKLE		FEB 14 2007 1435	Received By	Eric Darby	Eric Darby	FEB 14 2007 1435
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

102

STL

Sample Check-in List

Date/Time Received 2/14/07 1445

Client PNL SDG # W05121 NA [ ] SAF # 607-002 NA [ ]

Work Order Number: JTB150285 Chain of Custody # 607-002, 12, 14, 15

Shipping Container ID: _____ Air Bill # _____

1 Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]

2 Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]

3 Chain of Custody record present? Yes [✓] No [ ]

4 Cooler temperature: _____ NA [✓] 5 Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]

6 Number of samples in shipping container: 3

7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]

8. Samples have:
_____tape
_____custody seals
_____hazard labels
[✓] appropriate samples labels

9 Samples are
[✓] in good condition
_____broken
_____leaking
_____have air bubbles
(Only for samples requiring headspace)

10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [ ] pH>9 [ ]

11 Sample Location, Sample Collector Listed? * Yes [✓] No [ ]
*For documentation only. No corrective action needed.

12 Were any anomalies identified in sample receipt? Yes [ ] No [✓]

13 Description of anomalies (include sample numbers): _____

Sample Custodian: Eu Darby Date: 2/14/07 1445

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client informed on _____ by _____ Person contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

LS-020, 9/03, Rev 5

SPL RICHLAND

PNNL JTB180107
W05-121
Due 04.02.07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-38**

Page 1 of 1

Collector D.P. CONNOLLY	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-N-506-2	**Ice Chest No.** 12 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M854		W	2/15/7	1031	1x20-mL P	Activity Scan	None
B1M854		W	↓	↓	3x1000-mL G/P	TC99_SEP_LSC: Tc-99 (1)	HCl to pH <2
B1M854		W	↓	↓	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
						JPmDG	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D.P. CONNOLLY			FEB 15 2007 1435	Eric Donby	Eric Donby		FEB 15 2007 2/15/07 1435
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

104

SHL RICHLAND

PNNL JTB180101
W05121
Due 04-02-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-170**

Page 1 of 1

Collector: D.P. CONNOLLY	Contact/Requester: Dot Stewart	Telephone No.: 509-376-5056 MSIN FAX
SAF No.: W07-002	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: RCRA, FEBRUARY 2007	HNF-H-506-2	Ice Chest No.: 12 Temp.
Shipped To (Lab): Severn Trent Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐

All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.

WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M8L2		W	2/15/7	1205	1x20-mL P	Activity Scan	None
B1M8L2		W	↓	↓	1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
B1M8L2		W			3x1000-mL G/P	TC99_SEP_LSC: Tc-99 (1)	HCl to pH <2
B1M8L2		W			1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
						JPM DH	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D.P. CONNOLLY		FEB 15 2007	1435	Eric Daly	Eric Daly	FEB 15 2007	2/15/07 1435
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

105

STL RICHLAND

PNNL JTB180101
W05121
Due 04-02-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **W07-002-202**

Page 1 of 1

Collector D. P. CONNOLLY	**Contact/Requester** Dot Stewart	**Telephone No.** 509-376-5056 **MSIN** **FAX**
SAF No. W07-002	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title RCRA, FEBRUARY 2007	HNF-M-506-2	**Ice Chest No.** 12 **Temp.**
Shipped To (Lab) Severn Trent Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol RCRA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1M8J2		W	2/15/7	1126	1x20-mL P	Activity Scan	None
B1M8J2		W	↓	↓	1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2
B1M8J2		W			3x1000-mL G/P	TC99_SEP_LSC: Tc-99 (1)	HCl to pH <2
B1M8J2		W			1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
						JPMDJ	

Requested By D.P. CONNOLLY Print	Sign	FEB 15 2007 Date/Time 1435	Received By Print Sign FEB 15 2007 Date/Time 1435
Relinquished By		Date/Time	Received By Date/Time
Relinquished By		Date/Time	Received By Date/Time
Relinquished By		Date/Time	Received By Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

106

STL

Sample Check-in List

Date/Time Received: 2/15/07 1435

Client: PNL SDG # W0512 NA [ ] SAF # 407-002 NA [ ]

Work Order Number: JTB180107 Chain of Custody # W07-002, 38, 170, 202

Shipping Container ID: _____ Air Bill # _____

1	Custody Seals on shipping container intact?	NA [ ] Yes [✓] No [ ]
2	Custody Seals dated and signed?	NA [ ] Yes [✓] No [ ]
3	Chain of Custody record present?	NA [ ] Yes [✓] No [ ]
4	Cooler temperature: _____ NA [✓]	Yes [✓] No [ ]
6	Number of samples in shipping container: 3	Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
7.	Sample holding times exceeded?	NA [ ] Yes [ ] No [ ]
8.	Samples have: _____ tape _____ custody seals	_____ hazard labels _____ [✓] appropriate samples labels
9	Samples are: _____ [✓] in good condition _____ broken	_____ leaking _____ have air bubbles (Only for samples requiring head space)
10.	Sample pH taken?	NA [ ] pH≤2 [✓] pH>2 [ ] pH>9 [ ]
11	Sample Location, Sample Collector Listed? * *For documentation only. No corrective action needed.	Yes [✓] No [ ]
12	Were any anomalies identified in sample receipt?	Yes [ ] No [✓]
13	Description of anomalies (include sample numbers): _____	

Sample Custodian: E. Daly Date: 2/15/07 1435

Client Sample ID	Analysis Requested	Condition	Comments/Actions

Client Informed on _____ by _____ Person contacted _____

[ ] No action necessary, process as is.

Project Manager _____ Date _____

LS-023, 9/03, Rev 5

STL RICHLAND

3/1/2007 12:04:23 PM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

6D Pu PrpRC5016, SepRC5010(5039)
SO Plutonium-238,239/40 by Alpha Spec
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/29/2007 W0051Z1

Sep1 DT/Tm Tech:

Batch: 7050422 WATER pCi/L PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None All Tests: 7050402 DHSS, 7050408 FPS5, 7050417 ARS6, 7050420 AWTA, 7050422 6DSO, 7050424 BNTB, 7050426 CLTL,

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPDMR-1-AC J7B130298-1-SAMP 02/12/2007 12:37		200.60g,in AmtRec: 20ML,4XLP,2X4LP	PUTC10502 01/23/07,pd 08/04/06,r #Containers: 7	200			Scr: Alpha: 1.27E-02 uCi/Sa 1.7E-01L Beta: -9.96E-04 uCi/Sa	
2 JPDMR-1-AE-X J7B130298-1-DUP 02/12/2007 12:37		198.40g,in AmtRec: 20ML,4XLP,2X4LP	PUTC10503 01/23/07,pd 08/04/06,r #Containers: 7				Scr: Alpha: 1.27E-02 uCi/Sa 1.7E-01L Beta: -9.96E-04 uCi/Sa	
3 JPNJJ-1-AA-B J7B190000-422-BLK 02/12/2007 12:37		205.70g,in AmtRec:	PUTC10504 01/23/07,pd 08/04/06,r #Containers: 1				Scr: Alpha: Beta:	
4 JPNJJ-1-AC-C J7B190000-422-LCS 02/12/2007 12:37		201.50g,in AmtRec:	PUSG0907 02/14/07,pd 08/04/06,r #Containers: 1	4			Scr: Alpha: Beta:	

Comments: PH < 2.0 JB 3-1-07
Aliquot Should of been reduced to 170 mLs due to high Screening results.
Accidently pored up 200. OK to leave at 200 mLs Per LISA A.

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPDMR1AC-SAMP Constituent List:

PU-238	RDL:1	pCi/L	LCL:	UCL:	RPD:	PU-239	RDL:1	pCi/L	LCL:70	UCL:130	RPD:20
Pu-242	RDL:	pCi/L	LCL:20	UCL:105	RPD:20						

JPNJJ1AA-BLK:

PU-238	RDL:1	pCi/L	LCL:	UCL:	RPD:	PU-239	RDL:1	pCi/L	LCL:	UCL:	RPD:
Pu-242	RDL:	pCi/L	LCL:20	UCL:105	RPD:20						

JPNJJ1AC-LCS:

PU-239	RDL:1	pCi/L	LCL:70	UCL:130	RPD:20	Pu-242	RDL:	pCi/L	LCL:20	UCL:105	RPD:20

108

STL RICHLAND

3/23/2007 3:53:05 PM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AZ Gross Alpha PrpRC5014
S7 Gross Alpha by GPC using Am-241 curve
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/30/2007

Sep1 DT/Tm Tech:

Batch: 7050428 WATER pCi/L PM, Quote: SA , 57671

SEQ Batch, Test: None All Tests: 7050408 FPS5, 7050420 AWTA, 7050428 AZS7, 7050430 BCS8,

Sep2 DT/Tm Tech:

Prep Tech: BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPHEX-1-AA J7B150271-1-SAMP 02/13/2007 08:59		178.80g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	35.1mg	50	10B 3/23/07	1723	3/23/07	Scr: Alpha: 7.29E-04 uCi/Sa Beta: -3.27E-04 uCi/Sa
2 JPHEX-1-AF-X J7B150271-1-DUP 02/13/2007 08:59		179.20g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	43.3mg	50	10D			Scr: Alpha: 7.29E-04 uCi/Sa Beta: -3.27E-04 uCi/Sa
3 JPHFA-1-AA J7B150271-2-SAMP 02/13/2007 11:13		202.50g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	14.5mg	50	10E 3/23/07			Scr: Alpha: -3.67E-04 uCi/Sa Beta: -1.30E-04 uCi/Sa
4 JPHFH-1-AA J7B150271-3-SAMP 02/13/2007 10:09		179.60g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	49.4mg	50	10A			Scr: Alpha: -1.89E-04 uCi/Sa Beta: 5.82E-04 uCi/Sa
5 JPHFJ-1-AA J7B150271-4-SAMP 02/13/2007 11:54		200.40g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	26.8mg	50	10B			Scr: Alpha: 1.48E-03 uCi/Sa Beta: -7.12E-04 uCi/Sa
6 JPHGJ-1-AC J7B150278-1-SAMP 02/14/2007 10:50		200.40g,in AmtRec: 20ML,2X500ML,2XLP		#Containers: 5	32.4mg	50	10C	1917		Scr: Alpha: 9.60E-04 uCi/Sa Beta: -1.76E-04 uCi/Sa
7 JPNJV-1-AA-B J7B190000-428-BLK 02/13/2007 08:59		203.30g,in AmtRec:		#Containers: 1	0.7mg	50	10B			Scr: Alpha: Beta:

STL Richland
Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1
pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

ISV - Insufficient Volume for Analysis

WO Cnt: 7
Prep_SamplePrep v4.8.26

109

STL RICHLAND

3/23/2007 3:53:10 PM

Sample Preparation/Analysis

AZ Gross Alpha PrpRC5014
S7 Gross Alpha by GPC using Am-241 curve
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/30/2007

Sep1 DT/Tm Tech:

Batch: 7050428
SEQ Batch, Test: None

pCi/L

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPNJV-1-AC-C J7B190000-428-LCS 02/13/2007 08:59		200.00g,in	asd4139 02/14/07,pd 02/09/06,r		0.5mg	50	10A	1917	3/23/07 9D	

AmtRec: #Containers: 1 Scr: Alpha: Beta:

Comments: JPHEX-SAMP "Comments. Aliquots reduced due to weight screen activity. JB 03/06/07"

DH 3/23/2007

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPHEX1AA-SAMP Constituent List:

ALPHA	RDL:3	pCi/L	LCL:	UCL:	RPD:
JPNJV1AA-BLK:					
ALPHA	RDL:3	pCi/L	LCL:	UCL:	RPD:
JPNJV1AC-LCS:					
Am-241	RDL:	pCi/L	LCL:70	UCL:130	RPD:20

JPHEX1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJV1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJV1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

3/27/2007 10:26:27 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BC Gross Beta PrpRC5014
S8 Gross Beta by GPC using Sr/Y-90 curve
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/30/2007

Sep1 DT/Tm Tech:

Batch: 7050430 WATER pCi/L PM, Quote: SA , 57671

SEQ Batch, Test: None All Tests: 7050408 FPS5, 7050420 AWTA, 7050428 AZS7, 7050430 BCS8,

Sep2 DT/Tm Tech:

Prep Tech: BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPHEX-1-AC J7B150271-1-SAMP 02/13/2007 08:59		199.00g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	71.9mg	100		Scr:	Alpha: 7.29E-04 uCi/Sa	Beta: -3.27E-04 uCi/Sa
2 JPHFA-1-AC J7B150271-2-SAMP 02/13/2007 11:13		200.70g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	41.8mg	100		Scr:	Alpha: -3.67E-04 uCi/Sa	Beta: -1.30E-04 uCi/Sa
3 JPHFH-1-AC J7B150271-3-SAMP 02/13/2007 10:09		174.20g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	72.1mg	100		Scr:	Alpha: -1.89E-04 uCi/Sa	Beta: 5.82E-04 uCi/Sa
4 JPHFJ-1-AC J7B150271-4-SAMP 02/13/2007 11:54		199.70g,in AmtRec: 20ML,500ML,LP,4LP		#Containers: 4	51.8mg	100		Scr:	Alpha: 1.48E-03 uCi/Sa	Beta: -7.12E-04 uCi/Sa
5 JPHGJ-1-AD J7B150278-1-SAMP 02/14/2007 10:50		200.20g,in AmtRec: 20ML,2X500ML,2XLP		#Containers: 5	62.9mg	100		Scr:	Alpha: 9.60E-04 uCi/Sa	Beta: -1.76E-04 uCi/Sa
6 JPHGJ-1-AG-X J7B150278-1-DUP 02/14/2007 10:50		201.10g,in AmtRec: 20ML,2X500ML,2XLP		#Containers: 5	69mg	100		Scr:	Alpha: 9.60E-04 uCi/Sa	Beta: -1.76E-04 uCi/Sa
7 JPHGJ-2-AD J7B150278-1-SAMP 02/14/2007 10:50		200.20g AmtRec: 20ML,2X500ML,2XLP	1.5	#Containers: 5	62.9mg	100	26A/236	Scr:	Alpha: 9.60E-04 uCi/Sa	Beta: -1.76E-04 uCi/Sa

3/27/07

STL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1 ISV - Insufficient Volume for Analysis WO Cnt: 7

Richland Wa. pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added ICOC v4.8.26

111

STL RICHLAND

3/27/2007 10:26:29 AM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BC Gross Beta PrpRC5014
S8 Gross Beta by GPC using Sr/Y-90 curve
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 03/30/2007

Batch: 7050430 WATER pCi/L
SEQ Batch, Test: None

PM, Quote: SA , 57671

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPHGJ-2-AG-X J7B150278-1-DUP 02/14/2007 10:50		201.10g		1.5	69mg	100	26B1234		3/27/07	
		AmtRec: 20ML,2X500ML,2XLP	#Containers: 5				Scr:	Alpha: 9.60E-04 uCi/Sa	Beta: -1.76E-04 uCi/Sa	
9 JPHHE-1-AA J7B150285-1-SAMP 02/14/2007 09:44		197.50g,in			80.4mg	100				
		AmtRec: 20ML,LP	#Containers: 2				Scr:	Alpha: 3.18E-05 uCi/Sa	Beta: 3.54E-05 uCi/Sa	
10 JPHHH-1-AA J7B150285-2-SAMP 02/14/2007 08:50		161.90g,in			28.6mg	100				
		AmtRec: 20ML,LP	#Containers: 2				Scr:	Alpha: 1.95E-04 uCi/Sa	Beta: 5.54E-04 uCi/Sa	1.6E-01L
11 JPHHN-1-AA J7B150285-3-SAMP 02/14/2007 07:30		202.90g,in			0.2mg	100				
		AmtRec: 20ML,LP	#Containers: 2				Scr:	Alpha: 7.42E-05 uCi/Sa	Beta: -3.53E-05 uCi/Sa	
12 JPNJW-1-AA-B J7B190000-430-BLK 02/14/2007 10:50		200.40g,in			0.7mg	100				
		AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:	
13 JPNJW-1-AC-C J7B190000-430-LCS 02/14/2007 10:50		198.40g,in	BESB3023 02/26/07,pd 08/08/06,r		0.5mg	100				
		AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:	

STL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 2 ISV - Insufficient Volume for Analysis WO Cnt: 13
Richland Wa. pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added ICOC v4.8.26

3/27/2007 10:26:33 AM

Sample Preparation/Analysis

BC Gross Beta PrpRC5014
S8 Gross Beta by GPC using Sr/Y-90 curve
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/30/2007

Sep1 DT/Tm Tech:

Batch: 7050430 pCi/L
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: JPHEX-SAMP "Comments. Aliquots reduced due to weight screen activity. JB 03/06/07"
JPHHH-SAMP "Comments. Aliquot reduced due to high screen results.JB 03/06/07"

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPHEX1AC-SAMP Constituent List:

BETA	RDL:4	pCi/L	LCL:	UCL:	RPD:
JPNJW1AA-BLK:					
BETA	RDL:4	pCi/L	LCL:	UCL:	RPD:
JPNJW1AC-LCS:					
Sr-90	RDL:	pCi/L	LCL:70	UCL:130	RPD:20

JPHEX1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJW1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJW1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

3/9/2007 1:52:57 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

CL Sr-90 Prp/SepRC5006(5071)
TL Sr-85 by NaI and Sr-90 by GPC 7 day ingrowth
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/29/2007

Sep1 DT/Tm Tech: 03/02/2007 13:40,ManisD

Batch: 7050426 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech: 03/09/2007 09:11,ManisD

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPDMR-1-AD J7B130298-1-SAMP		903.50g,in	SRTB14551 02/20/07,pd 09/11/06,r		1.5	23.2	100	5A CA	0947 1009	3/10/07 r 3/11/07 r	
						~~03/02/2007 13:40,s1,03/09/2007~~					
02/12/2007 12:37		AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
2 JPDMR-1-AG-X J7B130298-1-DUP		900.70g,in	SRTB14552 02/20/07,pd 09/11/06,r		1.5	23.8	100	5B CB	0947 1009	3/10/07 r 3/11/07 r	
						~~03/02/2007 13:40,s1,03/09/2007~~					
02/12/2007 12:37		AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
3 JPNJR-1-AA-B J7B190000-426-BLK		1002.50g,in	SRTB14553 02/20/07,pd 09/11/06,r		1.5	23.8	100	5C CC	0947 1009	3/10/07 r 3/11/07 r	
						~~03/02/2007 13:40,s1,03/09/2007~~					
02/12/2007 12:37		AmtRec:	#Containers: 1					Scr:	Alpha:	Beta:	
4 JPNJR-1-AC-C J7B190000-426-LCS		1003.10g,in	SRSG1320 02/12/07,pd 09/11/06,r		1.5	24.5	100	5D CD	0947 1009	3/10/07 r 3/11/07 r	
						~~03/02/2007 13:40,s1,03/09/2007~~					
02/12/2007 12:37		AmtRec:	#Containers: 1					Scr:	Alpha:	Beta:	

STL RICHLAND

3/1/2007 9:57:32 AM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

CL Sr-90 Prp/SepRC5006(5071)
TL Sr-85 by NaI and Sr-90 by GPC 7 day ingrowth
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: DRM

AnalyDueDate: 03/29/2007 W05121

Sep1 DT/Tm Tech: 3/9/07 1:40:06 PM

Batch: 7050426 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech: 3/9/07 9:11:08 DRM

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPDMR-1-AD J7B130298-1-SAMP		903.50g,in	SRTB14551 02/20/07,pd 09/11/06,r	1.146 2.0084 0.5406				3"	1553	3/2/07 RL	
02/12/2007 12:37		AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
2 JPDMR-1-AG-X J7B130298-1-DUP		900.70g,in	SRTB14552 02/20/07,pd 09/11/06,r	1.092 2.0218 0.5401				9"	1155	3/2/07 DD	
02/12/2007 12:37		AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
3 JPNJR-1-AA-B J7B190000-426-BLK		1002.50g,in	SRTB14553 02/20/07,pd 09/11/06,r	1.720 2.0084 0.8564				3"	1656	3/2/07 DD	
02/12/2007 12:37		AmtRec:	#Containers: 1					Scr:	Alpha:	Beta:	
4 JPNJR-1-AC-C J7B190000-426-LCS		1003.10g,in	SRSG1320 02/12/07,pd 09/11/06,r	1.703 2.0188 0.8436				3"	1752	3/2/07 DD	
02/12/2007 12:37		AmtRec:	#Containers: 1					Scr:	Alpha:	Beta:	

STL RICHLAND

3/1/2007 9:57:34 AM

Sample Preparation/Analysis

CL Sr-90 Prp/SepRC5006(5071)
TL Sr-85 by Nal and Sr-90 by GPC 7 day ingrowth
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/29/2007

Sep1 DT/Tm Tech:

Batch: 7050426 pCi/L
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: PH < 2.0 YB 3-1-07
Aliquots reduced due to high Screening results. YB 3-1-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

UPDMR1AD-SAMP Constituent List:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:70	UCL:130	RPD:20

UPNJR1AA-BLK:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:	UCL:	RPD:

UPNJR1AC-LCS:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:70	UCL:130	RPD:20

UPDMR1AD-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
UPNJR1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
UPNJR1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

IL16

STL RICHLAND

3/2/2007 8:03:04 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AW Gamma PrpRC5017
TA Gamma by HPGE
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/26/2007 (305121)

Sep1 DT/Tm Tech:

Batch: 7050420 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ /APA

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPAPP-1-AA J7B120175-1-SAMP 02/09/2007 08:27		2002.60g,in AmtRec: 20ML,2X500ML,4LP #Containers: 4			100mL	100	64	1328	3/15/07 Scr: Alpha: 1.82E-06 uCi/Sa	Beta: 7.96E-07 uCi/Sa
2 JPDMW-1-AC J7B130298-3-SAMP 02/12/2007 11:36		1999.90g,in AmtRec: 20ML,2X500ML,LP,3X4LP #Containers: 7					65	1328	Scr: Alpha: 1.00E-02 uCi/Sa 2.5E-01L	Beta: -2.15E-03 uCi/Sa
3 JPDM3-1-AC J7B130298-4-SAMP 02/12/2007 11:36		1959.70g,in AmtRec: 20ML,2X500ML,LP,3X4LP #Containers: 7					66	1329	Scr: Alpha: 1.18E-02 uCi/Sa 2.1E-01L	Beta: -1.16E-03 uCi/Sa
4 JPDM3-1-AG-X J7B130298-4-DUP 02/12/2007 11:36		1972.80g,in AmtRec: 20ML,2X500ML,LP,3X4LP #Containers: 7					67	1329	Scr: Alpha: 1.18E-02 uCi/Sa 2.1E-01L	Beta: -1.16E-03 uCi/Sa
5 JPHEX-1-AD J7B150271-1-SAMP 02/13/2007 08:59		1999.40g,in AmtRec: 20ML,500ML,LP,4LP #Containers: 4					68	1329	Scr: Alpha: 7.29E-04 uCi/Sa	Beta: -3.27E-04 uCi/Sa
6 JPHFA-1-AD J7B150271-2-SAMP 02/13/2007 11:13		2004.30g,in AmtRec: 20ML,500ML,LP,4LP #Containers: 4					610	1329	Scr: Alpha: -3.67E-04 uCi/Sa	Beta: -1.30E-04 uCi/Sa
7 JPHFH-1-AD J7B150271-3-SAMP 02/13/2007 10:09		2000.60g,in AmtRec: 20ML,500ML,LP,4LP #Containers: 4					612	1330	Scr: Alpha: -1.89E-04 uCi/Sa	Beta: 5.82E-04 uCi/Sa

STL RICHLAND

3/2/2007 8:03:07 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AW Gamma PrpRC5017
TA Gamma by HPGE
5i CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/26/2007

Sep1 DT/Tm Tech:

Batch: 7050420 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPHFJ-1-AD J7B150271-4-SAMP 02/13/2007 11:54		2000.00g,in AmtRec: 20ML,500ML,LP,4LP #Containers: 4			100mL	100	613	1330	3/5 LCD Scr: Alpha: 1.48E-03 uCi/Sa Beta: -7.12E-04 uCi/Sa	
9 JPMDG-1-AA J7B180101-1-SAMP 02/15/2007 10:31		2005.90g,in AmtRec: 20ML,3XLP,4LP #Containers: 5					64	1517	Scr: Alpha: 6.24E-04 uCi/Sa 2.9E-01L Beta: 6.70E-05 uCi/Sa	
10 JPNJF-1-AA-B J7B190000-420-BLK 02/12/2007 11:36		2000.10g,in AmtRec: #Containers: 1					65	1518	Scr: Alpha: Beta:	
11 JPNJF-1-AC-C J7B190000-420-LCS 02/12/2007 11:36		2002.80g,in AmtRec: #Containers: 1	QCAG1341 01/23/07,pd 03/07/05,r				66	1518	Scr: Alpha: Beta:	

Comments: pH < 2.0 SB 3-2-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPAPP1AA-SAMP Constituent List:

Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
Cs-137	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20	Cs-137DA	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20
Eu-154	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Eu-155	RDL:.00E+00	pCi/L	LCL:	UCL:	RPD:
K-40	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Sb-125	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:

JPNJF1AA-BLK:

Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:

STL RICHLAND

3/8/2007 10:11:02 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/29/2007 W05121

Sep1 DT/Tm Tech:

Batch: 7050424 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ , BostadD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPDMR-1-AA J7B130298-1-SAMP	3965.60g,in	ITA6099 02/23/07			34.8	100	L2	1536	3/13/07 JD3	
02/12/2007 12:37	AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
2 JPDMR-1-AF-X J7B130298-1-DUP	3878.40g,in	ITA6100 02/23/07			34.7		L4	1537		
02/12/2007 12:37	AmtRec: 20ML,4XLP,2X4LP	#Containers: 7					Scr: Alpha: 1.27E-02 uCi/Sa	1.7E-01L	Beta: -9.96E-04 uCi/Sa	
3 JPDMT-1-AA J7B130298-2-SAMP	3932.60g,in	ITA6101 02/23/07			35.0		L5	1537		
02/12/2007 10:36	AmtRec: 20ML,2X4LP	#Containers: 3					Scr:	Alpha: 5.33E-04 uCi/Sa		Beta: 1.89E-04 uCi/Sa
4 JPDMW-1-AD J7B130298-3-SAMP	3961.30g,in	ITA6102 02/23/07			35.1		L2	1723	3/13/07 JD	
02/12/2007 11:36	AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7					Scr: Alpha: 1.00E-02 uCi/Sa	2.5E-01L	Beta: -2.15E-03 uCi/Sa	
5 JPDM3-1-AD J7B130298-4-SAMP	3932.50g,in	ITA6103 02/23/07			35.9		L4	1724		
02/12/2007 11:36	AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7					Scr: Alpha: 1.18E-02 uCi/Sa	2.1E-01L	Beta: -1.16E-03 uCi/Sa	
6 JPNJM-1-AA-B J7B190000-424-BLK	3745.10g,in	ITA6104 02/23/07			35.1		L5	1724		
02/12/2007 12:37	AmtRec:	#Containers: 1					Scr:	Alpha:		Beta:
7 JPNJM-1-AC-C J7B190000-424-LCS	3894.20g,in	ISD0734 12/20/06			38.6 V		L2	1910		
02/12/2007 12:37	AmtRec:	#Containers: 1					Scr:	Alpha:		Beta:

119

STL RICHLAND

3/8/2007 10:11:08 AM

Sample Preparation/Analysis

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/29/2007

Sep1 DT/Tm Tech:

Batch: 7050424 pCi/L
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: pH < 2.0 3-8-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPDMR1AA-SAMP Constituent List:
I-129 RDL:1.00E+00 pCi/L LCL: UCL: RPD:
JPNJM1AA-BLK:
I-129 RDL:1.00E+00 pCi/L LCL: UCL: RPD:
JPNJM1AC-LCS:
I-129 RDL:5 pCi/L LCL:70 UCL:130 RPD:20

JPDMR1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJM1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNJM1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

3/1/2007 12:31:32 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/26/2007 W05121

Sep1 DT/Tm Tech:

Batch: 7050408 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPAPP-1-AC J7B120175-1-SAMP 02/09/2007 08:27			125.40g,in	125.40g		60				
			AmtRec: 20ML,2X500ML,4LP	#Containers: 4				Scr:	Alpha: 1.82E-06 uCi/Sa	Beta: 7.96E-07 uCi/Sa
2 JPAPP-1-AF-X J7B120175-1-DUP 02/09/2007 08:27			125.10g,in	125.10g						
			AmtRec: 20ML,2X500ML,4LP	#Containers: 4				Scr:	Alpha: 1.82E-06 uCi/Sa	Beta: 7.96E-07 uCi/Sa
3 JPAPR-1-AC J7B120175-2-SAMP 02/09/2007 11:51			125.00g,in	125.00g						
			AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -6.16E-05 uCi/Sa	Beta: 3.10E-04 uCi/Sa
4 JPAPR-1-AD-S J7B120175-2-MS 02/09/2007 11:51			124.70g,in	124.70g	tcsg1778 01/24/07,pd 01/10/06,r					
			AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -6.16E-05 uCi/Sa	Beta: 3.10E-04 uCi/Sa
5 JPAP2-1-AC J7B120175-3-SAMP 02/09/2007 10:14			125.70g,in	125.70g						
			AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: 4.31E-04 uCi/Sa	Beta: -2.04E-04 uCi/Sa
6 JPAP5-1-AC J7B120175-4-SAMP 02/09/2007 10:14			125.10g,in	125.10g						
			AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -4.78E-05 uCi/Sa	Beta: 1.85E-04 uCi/Sa
7 JPDCV-1-AC J7B130255-1-SAMP 02/12/2007 12:39			125.10g,in	125.10g						
			AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -1.35E-04 uCi/Sa	Beta: 3.91E-04 uCi/Sa

STL RICHLAND

3/1/2007 12:31:34 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/26/2007

Sep1 DT/Tm Tech:

Batch: 7050408 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPDMW-1-AE J7B130298-3-SAMP 02/12/2007 11:36			124.90g,in	124.90g		.60				
AmtRec: 20ML,2X500ML,LP,3X4LP #Containers: 7								Scr: Alpha: 1.00E-02 uCi/Sa 2.5E-01L		Beta: -2.15E-03 uCi/Sa
9 JPDM3-1-AE J7B130298-4-SAMP 02/12/2007 11:36			125.10g,in	125.10g						
AmtRec: 20ML,2X500ML,LP,3X4LP #Containers: 7								Scr: Alpha: 1.18E-02 uCi/Sa 2.1E-01L		Beta: -1.16E-03 uCi/Sa
10 JPHEX-1-AE J7B150271-1-SAMP 02/13/2007 08:59			125.20g,in	125.20g						
AmtRec: 20ML,500ML,LP,4LP #Containers: 4								Scr: Alpha: 7.29E-04 uCi/Sa		Beta: -3.27E-04 uCi/Sa
11 JPHFA-1-AE J7B150271-2-SAMP 02/13/2007 11:13			126.00g,in	126.00g						
AmtRec: 20ML,500ML,LP,4LP #Containers: 4								Scr: Alpha: -3.67E-04 uCi/Sa		Beta: -1.30E-04 uCi/Sa
12 JPHFH-1-AE J7B150271-3-SAMP 02/13/2007 10:09			126.80g,in	126.80g						
AmtRec: 20ML,500ML,LP,4LP #Containers: 4								Scr: Alpha: -1.89E-04 uCi/Sa		Beta: 5.82E-04 uCi/Sa
13 JPHFJ-1-AE J7B150271-4-SAMP 02/13/2007 11:54			125.60g,in	125.60g						
AmtRec: 20ML,500ML,LP,4LP #Containers: 4								Scr: Alpha: 1.48E-03 uCi/Sa		Beta: -7.12E-04 uCi/Sa
14 JPHGJ-1-AE J7B150278-1-SAMP 02/14/2007 10:50			125.50g,in	125.50g						
AmtRec: 20ML,2X500ML,2XLP #Containers: 5								Scr: Alpha: 9.60E-04 uCi/Sa		Beta: -1.76E-04 uCi/Sa

STL RICHLAND

3/1/2007 12:31:35 PM

Sample Preparation/Analysis

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 03/26/2007

Sep1 DT/Tm Tech:

Batch: 7050408 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
15 JPNH3-1-AA-B J7B190000-408-BLK 02/09/2007 08:27			125.40g,in AmtRec:	125.40g #Containers: 1		60 Scr:		Alpha:		Beta:
16 JPNH3-1-AC-C J7B190000-408-LCS 02/09/2007 08:27			127.40g,in AmtRec:	127.40g #Containers: 1	tcse2081 02/21/07,pd 01/10/06,r	Scr:		Alpha:		Beta:
17 JPNH3-1-AD-BN J7B190000-408-IBLK 02/09/2007 08:27			AmtRec:	#Containers: 1		Scr:		Alpha:		Beta:
18 JPNH3-1-AE-BN J7B190000-408-IBLK 02/09/2007 08:27			AmtRec:	#Containers: 1		4 Scr:		Alpha:		Beta:

Comments: PH <2.0 YB 3-1-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPAPP1AC-SAMP Constituent List:
Tc-99 RDL:15 pCi/L LCL:70 UCL:130 RPD:20
JPAPR1AD-MS:

JPNH31AA-BLK:
Tc-99 RDL:15 pCi/L LCL: UCL: RPD:
JPNH31AC-LCS:
Tc-99 RDL:15 pCi/L LCL:70 UCL:130 RPD:20

3/1/2007 12:31:36 PM

Sample Preparation/Analysis

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Balance Id:
Pipet #: _____
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 03/26/2007

Batch: 7050408 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

JPNH31AD-IBLK:
Tc-99 RDL:15 pCi/L LCL: UCL: RPD:
JPNH31AE-IBLK:
Tc-99 RDL:15 pCi/L LCL: UCL: RPD:

JPAPP1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPAPR1AD-MS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH31AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH31AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH31AD-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH31AE-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

3/1/2007 12:43:48 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AM Tc-99 Prp/SepRC5078
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 04/02/2007 W05121

Sep1 DT/Tm Tech:

Batch: 7050405 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPMDG-1-AC J7B180101-1-SAMP 02/15/2007 10:31		124.80g,in AmtRec: 20ML,3XLP,4LP	#Containers: 5	100		Scr: Alpha: 6.24E-04 uCi/Sa 2.9E-01L		Beta: 6.70E-05 uCi/Sa
2 JPMDG-1-AD-X J7B180101-1-DUP 02/15/2007 10:31		125.50g,in AmtRec: 20ML,3XLP,4LP	#Containers: 5			Scr: Alpha: 6.24E-04 uCi/Sa 2.9E-01L		Beta: 6.70E-05 uCi/Sa
3 JPMDH-1-AC J7B180101-2-SAMP 02/15/2007 12:05		125.80g,in AmtRec: 20ML,500ML,4XLP	#Containers: 6			Scr: Alpha: 2.29E-04 uCi/Sa		Beta: -1.37E-04 uCi/Sa
4 JPMDH-1-AE-S J7B180101-2-MS 02/15/2007 12:05		126.50g,in AmtRec: 20ML,500ML,4XLP	tcsg1779 02/28/07,pd 01/10/06,r #Containers: 6			Scr: Alpha: 2.29E-04 uCi/Sa		Beta: -1.37E-04 uCi/Sa
5 JPMDJ-1-AC J7B180101-3-SAMP 02/15/2007 11:26		127.20g,in AmtRec: 20ML,500ML,4XLP	#Containers: 6			Scr: Alpha: -3.73E-05 uCi/Sa		Beta: -2.05E-05 uCi/Sa
6 JPNH2-1-AA-B J7B190000-405-BLK 02/15/2007 10:31		127.30g,in AmtRec:	#Containers: 1			Scr: Alpha:		Beta:
7 JPNH2-1-AC-C J7B190000-405-LCS 02/15/2007 10:31		126.30g,in AmtRec:	tcse2082 02/21/07,pd 01/10/06,r #Containers: 1			Scr: Alpha:		Beta:

STL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1 ISV - Insufficient Volume for Analysis WO Cnt: 7

Richland Wa. pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added Prep_SamplePrep v4.8.26

125

STL RICHLAND

3/1/2007 12:43:50 PM

Sample Preparation/Analysis

AM Tc-99 Prp/SepRC5078
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 04/02/2007

Batch: 7050405 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPNH2-1-AD-BN J7B190000-405-IBLK 02/15/2007 10:31	AmtRec:	#Containers: 1		60			Scr:	Alpha: Beta:

Comments: PH <2.0 YB 3-1-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPMDG1AC-SAMP Constituent List:
Tc-99 RDL:1.50E+01 pCi/L LCL:70 UCL:130 RPD:20
JPMDH1AE-MS:

JPNH21AA-BLK:
Tc-99 RDL:1.50E+01 pCi/L LCL: UCL: RPD:
JPNH21AC-LCS:
Tc-99 RDL:15 pCi/L LCL:70 UCL:130 RPD:20
JPNH21AD-IBLK:
Tc-99 RDL:1.50E+01 pCi/L LCL: UCL: RPD:

JPMDG1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPMDH1AE-MS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH21AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH21AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
JPNH21AD-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

2/19/2007 2:29:12 PM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AR H-3 Prp/SepRC5007
S6 Tritium by Liquid Scint
5I CLIENT: HANFORD

AnalyDueDate: 03/26/2007 W05121

Batch: 7050417 WATER pCi/L

SEQ Batch, Test: None

PM, Quote: SA , 57671

Balance Id: 12445

Pipet #:

Sep1 DT/Tm Tech: 3-9-07 Tmx

Sep2 DT/Tm Tech:

Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPAPR-1-AA J7B120175-2-SAMP 02/09/2007 11:51	AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -6.16E-05 uCi/Sa	Beta: 3.10E-04 uCi/Sa
2 JPAP2-1-AA J7B120175-3-SAMP 02/09/2007 10:14	AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: 4.31E-04 uCi/Sa	Beta: -2.04E-04 uCi/Sa
3 JPAP5-1-AA J7B120175-4-SAMP 02/09/2007 10:14	AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -4.78E-05 uCi/Sa	Beta: 1.85E-04 uCi/Sa
4 JPDCV-1-AA J7B130255-1-SAMP 02/12/2007 12:39	AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -1.35E-04 uCi/Sa	Beta: 3.91E-04 uCi/Sa
5 JPDCV-1-AD-X J7B130255-1-DUP 02/12/2007 12:39	AmtRec: 20ML,500ML,LP	#Containers: 3				Scr:	Alpha: -1.35E-04 uCi/Sa	Beta: 3.91E-04 uCi/Sa
6 JPDMW-1-AA J7B130298-3-SAMP 02/12/2007 11:36	AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7				Scr:	Alpha:	Beta:
7 JPDM3-1-AA J7B130298-4-SAMP 02/12/2007 11:36	AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7				Scr:	Alpha:	Beta:

STL RICHLAND

2/19/2007 2:29:13 PM

Sample Preparation/Analysis

Balance Id: 12445

384868, Pacific Northwest National Laboratory
Pacific Northwest National Lab

AR H-3 Prp/SepRC5007
S6 Tritium by Liquid Scint
5I CLIENT: HANFORD

Pipet #:

AnalyDueDate: 03/26/2007

Sep1 DT/Tm Tech: 3-9-07 mm

Batch: 7050417 WATER pCi/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPHGJ-1-AA J7B150278-1-SAMP 02/14/2007 10:50	AmtRec: 20ML,2X500ML,2XLP	#Containers: 5				Scr:	Alpha:	Beta:
9 JPMDH-1-AA J7B180101-2-SAMP 02/15/2007 12:05	AmtRec: 20ML,500ML,4XLP	#Containers: 6				Scr:	Alpha:	Beta:
10 JPMDJ-1-AA J7B180101-3-SAMP 02/15/2007 11:26	AmtRec: 20ML,500ML,4XLP	#Containers: 6				Scr:	Alpha:	Beta:
11 JPNH5-1-AA-B J7B190000-417-BLK 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
12 JPNH5-1-AC-C J7B190000-417-LCS 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
13 JPNH5-1-AD-BX J7B190000-417-MBLK 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
14 JPNH5-1-AE-CM J7B190000-417-MLCS 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:

STL RICHLAND

2/19/2007 2:29:19 PM

Sample Preparation/Analysis

AR H-3 Prp/SepRC5007
S6 Tritium by Liquid Scint
5I CLIENT: HANFORD

AnalyDueDate: 03/26/2007

Batch: 7050417 pCi/L
SEQ Batch, Test: None

Balance Id: 12445
Pipet #:
Sep1 DT/Tm Tech: 3-9-07 JW
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
15 JPNH5-1-AF-BN J7B190000-417-IBLK 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
16 JPNH5-1-AG-BN J7B190000-417-IBLK 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
17 JPNH5-1-AH-BN J7B190000-417-IBLK 02/12/2007 12:39	AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPAPR1AA-SAMP Constituent List:
H-3 RDL:400 pCi/L LCL:70 UCL:130 RPD:20
JPNH51AA-BLK:
H-3 RDL:400 pCi/L LCL: UCL: RPD:
JPNH51AC-LCS:
H-3 RDL:400 pCi/L LCL:70 UCL:130 RPD:20
JPNH51AD-MBLK:
H-3 RDL:400 pCi/L LCL: UCL: RPD:
JPNH51AE-MLCS:
H-3 RDL:400 pCi/L LCL:70 UCL:130 RPD:20
JPNH51AF-IBLK:
H-3 RDL:400 pCi/L LCL: UCL: RPD:
JPNH51AG-IBLK:
H-3 RDL:400 pCi/L LCL: UCL: RPD:

2/19/2007 2:29:24 PM

Sample Preparation/Analysis

AR H-3 Prp/SepRC5007
S6 Tritium by Liquid Scint
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 03/26/2007

Batch: 7050417 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

JPNH51AH-IBLK:
H-3 RDL:400 pCi/L LCL: UCL: RPD:

JPAPR1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AD-MBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AE-MLCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AF-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AG-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

JPNH51AH-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

STL RICHLAND

3/2/2007 12:23:10 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

DH UNat_Laser PrpRC5015
SS Total Uranium by KPA
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 03/26/2007 W05121

Sep1 DT/Tm Tech:

Batch: 7050402 WATER ug/L

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,BockJ / APA

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 JPAPP-1-AD J7B120175-1-SAMP 02/09/2007 08:27		27.10g,in AmtRec: 20ML,2X500ML,4LP	#Containers: 4			Scr:	Alpha: 1.82E-06 uCi/Sa	Beta: 7.96E-07 uCi/Sa
2 JPAPP-1-AE-X J7B120175-1-DUP 02/09/2007 08:27		25.20g,in AmtRec: 20ML,2X500ML,4LP	#Containers: 4			Scr:	Alpha: 1.82E-06 uCi/Sa	Beta: 7.96E-07 uCi/Sa
3 JPDMW-1-AF J7B130298-3-SAMP 02/12/2007 11:36		25.20g,in AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7			Scr:	Alpha: 1.00E-02 uCi/Sa 2.5E-01L	Beta: -2.15E-03 uCi/Sa
4 JPDMW-1-AG-S J7B130298-3-MS 02/12/2007 11:36		25.40g,in AmtRec: 20ML,2X500ML,LP,3X4LP	UNSF3620 02/20/07,pd 01/23/07,r #Containers: 7			Scr:	Alpha: 1.00E-02 uCi/Sa 2.5E-01L	Beta: -2.15E-03 uCi/Sa
5 JPDM3-1-AF J7B130298-4-SAMP 02/12/2007 11:36		24.90g,in AmtRec: 20ML,2X500ML,LP,3X4LP	#Containers: 7			Scr:	Alpha: 1.18E-02 uCi/Sa 2.1E-01L	Beta: -1.16E-03 uCi/Sa
6 JPHGJ-1-AF J7B150278-1-SAMP 02/14/2007 10:50		25.00g,in AmtRec: 20ML,2X500ML,2XLP	#Containers: 5			Scr:	Alpha: 9.60E-04 uCi/Sa	Beta: -1.76E-04 uCi/Sa
7 JPMDH-1-AD J7B180101-2-SAMP 02/15/2007 12:05		25.90g,in AmtRec: 20ML,500ML,4XLP	#Containers: 6			Scr:	Alpha: 2.29E-04 uCi/Sa	Beta: -1.37E-04 uCi/Sa

131

STL RICHLAND

3/2/2007 12:23:14 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

DH UNat_Laser PrpRC5015
SS Total Uranium by KPA

Pipet #: _____

AnalyDueDate: 03/26/2007

5I CLIENT: HANFORD

Sep1 DT/Tm Tech:

Batch: 7050402 WATER ug/L
SEQ Batch, Test: None

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

Prep Tech: ,BockJ

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 JPMDJ-1-AD J7B180101-3-SAMP 02/15/2007 11:26		25.20g,in AmtRec: 20ML,500ML,4XLP	#Containers: 6			Scr:	Alpha: -3.73E-05 uCi/Sa	Beta: -2.05E-05 uCi/Sa
9 JPNH0-1-AA-B J7B190000-402-BLK 02/09/2007 08:27		25.20g,in AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
10 JPNH0-1-AC-C J7B190000-402-LCS 02/09/2007 08:27		25.70g,in AmtRec:	UNSF3621 02/20/07,pd 01/23/07,r #Containers: 1			Scr:	Alpha:	Beta:
11 JPNH0-1-AD-C J7B190000-402-LCS 02/09/2007 08:27		25.60g,in AmtRec:	UNSC1569 02/27/07,pd 04/28/06,r #Containers: 1			Scr:	Alpha:	Beta:

Comments: PH <2.0 JB 3-2-07

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SA , 57671

JPAPP1AD-SAMP Constituent List:

Uranium	RDL:1.44E-01	ug/L	LCL:	UCL:	RPD:

JPDMW1AG-MS:

JPNH01AA-BLK:

Uranium	RDL:1.44E-01	ug/L	LCL:	UCL:	RPD:

JPNH01AC-LCS:

Uranium	RDL:0.144343	ug/L	LCL:70	UCL:130	RPD:20

3/8/2007 7:48:02 AM

ICOC Fraction Transfer/Status Report

ByDate: 3/8/2006, 3/13/2007, Batch: '7050422', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050422						
AC		CalcC	BockJ	3/1/2007 11:58:36		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/1/2007 11:58:36 AM	rich-rc-5016 rEVISION 6
SC			BockJ	Prep1C	3/1/2007 1:55:44 PM	RICH-RC-5016 REVISION 6
SC			FABREM	Sep1C	3/6/2007 10:55:41 AM	RICH-RC-5010 REVISION 4
SC			FABREM	Sep2C	3/6/2007 4:55:53 PM	RICH-RC-5039 REV 5
SC			DAWKINSO	InCnt1	3/6/2007 5:25:28 PM	RICH-RD-0008 REVISION 4
SC			BlackCL	CalcC	3/7/2007 9:23:01 AM	RICH-RD-0008 REVISION 4
AC			BockJ	3/1/2007 1:55:44 PM		
AC			FABREM	3/6/2007 10:55:41		
AC			FABREM	3/6/2007 4:55:53 PM		
AC			DAWKINSO	3/6/2007 5:25:28 PM		
AC			BlackCL	3/7/2007 9:23:01 AM		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt:6

ICOCFractions v4.8.26

3/27/2007 10:19:29 AM

ICOC Fraction Transfer/Status Report

ByDate: 3/27/2006, 4/1/2007, Batch: '7050428', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050428						
AC		CalcC	BockJ	3/6/2007 11:23:59		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/6/2007 11:23:59 AM	RICH-RC-5014 Revision 6
SC			BockJ	Prep1C	3/6/2007 2:08:30 PM	RICH-RC-5014 REVISION 6
SC			AshworthA	InPrep2	3/21/2007 11:49:53 AM	RICH-RC-5014 REVISION 6
SC			HARBINSOND	Prep1C	3/23/2007 3:44:08 PM	RICHRC5014 REV6
SC			DAWKINSO	InCnt1	3/23/2007 6:15:57 PM	RICH-RD-0003 REVISION 4
SC			DAWKINSO	CalcC	3/23/2007 9:05:30 PM	RICH-RD-0003 REVISION 4
AC			BockJ	3/6/2007 2:08:30 PM		
AC			AshworthA	3/21/2007 11:49:53		
AC			HARBINSOND	3/23/2007 3:44:08 PM		
AC			DAWKINSO	3/23/2007 6:15:57 PM		
AC			DAWKINSO	3/23/2007 9:05:30 PM		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 6

ICOCFractions v4.8.26

3/27/2007 3:44:06 PM

ICOC Fraction Transfer/Status Report

ByDate: 3/27/2006, 4/1/2007, Batch: '7050430', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050430						
AC		CalcC	BockJ	3/6/2007 10:01:39		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/6/2007 10:01:39 AM	RICH-RC-5014 Revision 6
SC			BockJ	Prep1C	3/6/2007 10:23:29 AM	RICH-RC-5014 REVISION 6
SC			HARBINSOND	Prep1C	3/23/2007 3:43:03 PM	RICHRC5014 REV6
SC			DAWKINSO	InCnt1	3/23/2007 6:47:29 PM	RICH-RD-0003 REVISION 4
SC			DAWKINSO	CalcC	3/23/2007 9:05:24 PM	RICH-RD-0003 REVISION 4
SC			BlackCL	InCnt1	3/27/2007 10:55:00 AM	RICH-RD-0003 REVISION 4
SC			BlackCL	CalcC	3/27/2007 12:43:03 PM	RICH-RD-0003 REVISION 4
AC			BockJ	3/6/2007 10:23:29		
AC			HARBINSOND	3/23/2007 3:43:03 PM		
AC			DAWKINSO	3/23/2007 6:47:29 PM		
AC			DAWKINSO	3/23/2007 9:05:24 PM		
AC			BlackCL	3/27/2007 10:55:00		
AC			BlackCL	3/27/2007 12:43:03		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 7

ICOCFractions v4.8.26

3/14/2007 8:13:43 AM

ICOC Fraction Transfer/Status Report

ByDate: 3/14/2006, 3/19/2007, Batch: '7050426', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
7050426							
AC			CalcC	BockJ	3/1/2007 9:49:23 AM		
SC				wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC				BockJ	InPrep	3/1/2007 9:49:23 AM	rich-rc-5016 rEVISION 6
SC				BockJ	Prep1C	3/1/2007 9:57:38 AM	RICH-RC-5016 REVISION 6
SC				ManisD	InSep1	3/1/2007 2:46:08 PM	RICH-RC-5006 REV 6
SC				ManisD	Sep1C	3/2/2007 1:42:32 PM	RICH-RC-5006 REV 6
SC				StringerR	InCnt1	3/2/2007 1:58:57 PM	RICH-RD-0007 REVISION 5
SC				DAWKINSO	Cnt1C	3/2/2007 7:49:20 PM	RICH-RD-0007 REVISION 5
SC				ManisD	InSep2	3/9/2007 9:03:44 AM	RICH-RC-5071 REV 4
SC				ManisD	Sep2C	3/9/2007 1:53:24 PM	RICH-RC-5071 REV 4
SC				StringerR	InCnt1	3/9/2007 1:58:05 PM	RICH-RD-0003 REVISION 4
SC				StringerR	CalcC	3/11/2007 10:42:53 AM	RICH-RD-0003 REVISION 4
AC				BockJ	3/1/2007 9:57:38 AM		
AC				ManisD	3/1/2007 2:46:08 PM		
AC				ManisD	3/2/2007 1:42:32 PM		
AC				StringerR	3/2/2007 1:58:57 PM		
AC				DAWKINSO	3/2/2007 7:49:20 PM		
AC				ManisD	3/9/2007 9:03:44 AM		
AC				ManisD	3/9/2007 1:53:24 PM		
AC				StringerR	3/9/2007 1:58:05 PM		
AC				StringerR	3/11/2007 10:42:53		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 10

ICOCFractions v4.8.26

3/19/2007 3:35:15 PM

ICOC Fraction Transfer/Status Report

ByDate: 3/19/2006, 3/24/2007, Batch: '7050420', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050420						
AC		CalcC	BockJ	3/1/2007 1:16:11 PM		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/1/2007 1:16:11 PM	RICH-RC-5016 Revision 6
SC			BockJ	Prep1C	3/2/2007 8:03:09 AM	RICH-RC-5017 REVISION 5
SC			AshworthA	InPrep2	3/13/2007 9:57:57 AM	RICH-RC-5017 REVISION 4
SC			AshworthA	Prep2C	3/15/2007 11:14:27 AM	RICH-RC-5017 REVISION 4
SC			BlackCL	InCnt1	3/15/2007 11:45:43 AM	RICH-RD-0007 REVISION 5
SC			DAWKINSO	CalcC	3/15/2007 6:29:35 PM	RICH-RD-0007 REVISION 5
AC			BockJ	3/2/2007 8:03:09 AM		
AC			AshworthA	3/13/2007 9:57:57		
AC			AshworthA	3/15/2007 11:14:27		
AC			BlackCL	3/15/2007 11:45:43		
AC			DAWKINSO	3/15/2007 6:29:35 PM		

AC: Accepting Entry; SC: Status Change

3/19/2007 1:47:33 PM

ICOC Fraction Transfer/Status Report

ByDate: 3/19/2006, 3/24/2007, Batch: '7050424', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050424						
AC		CalcC	BockJ	3/8/2007 9:49:28 AM		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/8/2007 9:49:28 AM	rich-rc-5014 rEVISION 6
SC			BockJ	Prep1C	3/8/2007 10:11:08 AM	RICH-RC-5017 REVISION 5
SC			BostedD	InPrep2	3/12/2007 12:42:42 PM	RICHRC5025 REV3
SC			BostedD	Prep2C	3/13/2007 1:24:45 PM	RICHRC5025 REV3
SC			BlackCL	InCnt1	3/13/2007 1:53:25 PM	RICH-RD-0007 REVISION 5
SC			DAWKINSO	CalcC	3/13/2007 8:22:44 PM	RICH-RD-0007 REVISION 5
AC			**BockJ**	3/8/2007 10:11:08		
AC			**BostedD**	3/12/2007 12:42:42		
AC			**BostedD**	3/13/2007 1:24:45 PM		
AC			**BlackCL**	3/13/2007 1:53:25 PM		
AC			**DAWKINSO**	3/13/2007 8:22:44 PM		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 6

ICOCFractions v4.8.26

3/5/2007 3:39 04 PM

ICOC Fract[illegible] Transfer/Status Report

ByDate: 3/5/2006, 3/10/200[illegible] Batch: '7050408', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
7050408							
AC			CalcC	BockJ	3/1/2007 12:21:31 PM		
SC				wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC				BockJ	InPrep	3/1/2007 12:21:31 PM	RICH-RC-5016 Revision 6
SC				BockJ	Prep1C	3/1/2007 12:31:36 PM	RICH-RC-5016 REVISION 6
SC				FABREM	Sep1C	3/2/2007 3:03:10 PM	RICH-RC-5078 REVISION 3
SC				DAWKINSO	InCnt1	3/2/2007 3:21:27 PM	RICH-RD-0001 REVISION 3
SC				StringerR	CalcC	3/4/2007 11:38:11 AM	RICH-RD-0001 REVISION 3
AC				BockJ	3/1/2007 [illegible] PM		
AC				FABREM	3/2/2007 [illegible] PM		
AC				DAWKINSO	3/2/2007 [illegible] PM		
AC				StringerR	3/4/2007 11:38:11		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 5

ICOCFractions v4.8.26

3/9/2007 11:20:04 AM

ICOC Fraction Transfer/Status Report

ByDate: 3/9/2006, 3/14/2007, Batch: '7050405', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050405						
AC		CalcC	BockJ	3/1/2007 12:35:16 PM		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			BockJ	InPrep	3/1/2007 12:35:16 PM	RICH-RC-5016 Revision 6
SC			BockJ	Prep1C	3/1/2007 12:43:52 PM	RICH-RC-5016 REVISION 6
SC			FABREM	Sep1C	3/7/2007 9:06:38 AM	RICH-RC-5078 REVISION 3
SC			StringerR	InCnt1	3/7/2007 9:12:13 AM	RICH-RD-0001 REVISION 3
SC			BlackCL	CalcC	3/8/2007 6:37:37 AM	RICH-RD-0001 REVISION 3
AC			BockJ	3/1/2007 12:43:52 PM		
AC			FABREM	3/7/2007 9:06:38 AM		
AC			StringerR	3/7/2007 9:12:13 AM		
AC			BlackCL	3/8/2007 6:37:37 AM		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 5

ICOCFractions v4.8.26

3/14/2007 1:00:41 PM

ICOC Fraction Transfer/Status Report

ByDate: 3/14/2006, 3/19/2007, Batch: '7050417', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
7050417						
AC		CalcC	McDowellD	3/8/2007 11:09:54		
SC			wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC			McDowellD	InSep1	3/8/2007 11:09:54 AM	RICH-RC-5007 REVISION 6
SC			McDowellD	Sep1C	3/12/2007 3:22:35 PM	RICH-RC-5007 REVISION 6
SC			DAWKINSO	InCnt1	3/12/2007 5:11:46 PM	RICH-RD-0001 REVISION 3
SC			BlackCL	CalcC	3/14/2007 6:35:25 AM	RICH-RD-0001 REVISION 3
AC			McDowellD	3/12/2007 3:22:35 PM		
AC			DAWKINSO	3/12/2007 5:11:46 PM		
AC			BlackCL	3/14/2007 6:35:25		

AC: Accepting Entry, SC: Status Change

STL Richland

Richland Wa

Grp Rec Cnt: 4

ICOCFractions v4.8.26

ICOC Fraction Transfer/Status Report

ByDate: 3/21/2006, 3/26/2007, Batch: '7050402', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
7050402							
AC			Cnt1C	BockJ	3/2/2007 12:16:19 PM		
SC				wagarr	IsBatched	2/19/2007 2:31:07 PM	ICOC_RADCALC v4.8.26
SC				BockJ	InPrep	3/2/2007 12:16:19 PM	rich-rc-5014 rEVISION 6
SC				BockJ	Prep1C	3/2/2007 12:25:14 PM	RICH-RC-5015 REVISION 4
SC				AshworthA	InPrep2	3/13/2007 9:53:47 AM	RICH-RC-5015 REVISION 4
SC				AshworthA	Prep2C	3/15/2007 11:14:36 AM	RICH-RC-5015 REVISION 4
SC				NelsonT	Cnt1C	3/20/2007 3:54:31 PM	RICH-RC-5058 REV 7
AC				BockJ	3/2/2007 12:25:14 PM		
AC				AshworthA	3/13/2007 9:53:47		
AC				AshworthA	3/15/2007 11:14:36		
AC				NelsonT	3/20/2007 3:54:31 PM		

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Grp Rec Cnt: 5

ICOCFractions v4.8.26